

IOBC/wprs Bulletin Vol. 27(8) 2004

Working Groups “Biological Control of Fungal and Bacterial Plant Pathogens”, “Integrated Control in Protected Crops, Temperate Climate” and “Integrated Control in Protected Crops, Mediterranean Climate”. Proceedings of the Meeting “Management of Plant Diseases and Arthropod Pests by BCAs and Their Integration in Agricultural Systems” at S. Michele all’Adige (Trentino, Italy), 9-13 June 2004. Edited by: Yigal Elad, Ilaria Pertot and Annie Enkegaard. ISBN 92-9067-170-8 [xxiv + 429 pp.].

Welcome of the Councillor for research and innovation of the Autonomous Province of Trento <i>Gianluca Salvatori</i>	1
Compatibility of three biological methods to control grey mould, powdery mildew and whitefly on tomato <i>Marc Bardin, Jacques Fargues, Laurent Couston, Claire Troulet, Géraldine Philippe, Philippe C. Nicot</i>	5
Incidence of application of an elicitor of apple tree resistance against fire blight (<i>Erwinia amylovora</i>) on an insect pest codling moth (<i>Cydia pomonella</i>) (Lepidoptera, Tortricidae) egg laying <i>Sylvie Derridj, Alexis Borges</i>	11
Using honeybees to deliver a biocontrol agent for the control of strawberry <i>Botrytis cinerea</i> -fruit rots <i>Alon Bilu, Dalia Rav David, Arnon Dag, Sharoni Shafir, Mohamad Abu-Toamy, Yigal Elad</i>	17
Laboratory evaluation of antifeedant activity of <i>Trichoderma</i> spp. isolates in aphid biocontrol <i>Sonia Ganassi, Antonio Logrieco, Antonio De Cristofaro, Maria Agnese Sabatini</i>	23
Biological control in chestnut cultivation: criteria for a sustainable management <i>Giorgio Maresi, Gino Angeli, Tullio Turchetti</i>	27
Integrated control strategies for all pests and diseases in several glasshouse crops and implementation in practice <i>Aleid Dik, Dirk Jan van der Gaag, Juliette Pijnakker, Pim Paternotte, Jos Wubben</i>	35
<i>Verticillium lecanii</i> (<i>Lecanicillium</i> spp.) as epiphyte and its application to biological control of arthropod pests and diseases <i>Masanori Koike, Toshiki Higashio, Akio Komori, Kyouko Akiyama, Noriko Kishimoto, Emi Masuda, Mai Sasaki, Sanae Yoshida, Masayuki Tani, Katsuhiko Kuramoto, Midori Sugimoto, Hideyuki Nagao</i>	41
Integrated Pest Management of arthropod pests in stone fruits <i>Walt Bentley, Shawn Steffan, Scott Johnson, Gary Van Sickle</i>	45
Biocontrol agents and their integration in organic viticulture in Trentino, Italy: characteristics and constrains <i>Luca Zulini, Antonella Vecchione, Enzo Mescalchin, Ilaria Pertot</i>	49
Implementation of IPM strategies on greenhouse tomato on Oeste region of Portugal: case study <i>Sofia Rodrigues, Elisabete Figueiredo, Fernanda Amaro, Maria do Céu Godinho, Carla Miranda, António Mexia</i>	53
An integrated approach to simultaneously control insect pests, powdery mildew and seed borne fungal diseases in barley by bacterial seed treatment <i>Manochehr Azarang, David B. Collinge, Berndt Gerhardson, Lennart Johnsson, Sandra Wright</i>	57
Integration of <i>Trichoderma</i> and soil solarization for disease management <i>Neta Okon Levy, Yigal Elad, Jaacov Katan</i>	65
Integrated control of <i>Allium</i> white rot using biological control agents, composted onion waste and tebuconazole treated seed <i>John P. Clarkson, Anita Scruby, Emma Coventry, Ralph Noble, John M. Whipps</i>	71
Effect of fungicides and herbicides on in vitro sensitivity of <i>Clonostachys rosea</i> and different strains of <i>Trichoderma</i> <i>Roberta Roberti, Annamaria Pisi, Annarita Veronesi, Augusto Cesari</i>	75
Strategies to provide integrated biological control of late blight of potato to replace copper for sustainable organic agriculture production <i>Peter Eibel, Annegret Schmitt, Dietrich Stephan, Susana Martins Carvalho, Barrie Seddon, Eckhard Koch</i>	79
Control of <i>Phytophthora cryptogea</i> with <i>Trichoderma viride</i> combined with furalaxyl and chitosan <i>Leszek B. Orlikowski, Czesław Skrzypczak</i>	81
Screening and identification of potential biocontrol agents against grapevine downy mildew considering an integrated control strategy of the disease <i>Antonella Vecchione, Luca Zulini, Ilaria Pertot</i>	85
Disease control on organically grown cyclamen <i>Giovanni Minuto, Andrea Minuto, Federico Tinivella, M. Lodovica Gullino, Angelo Garibaldi</i>	89
Integration of the use of the antagonist <i>Ulocladium atrum</i> in management of strawberry grey mould (<i>Botrytis cinerea</i>) <i>Jürgen Köhl, Bert Evenhuis, Pedro Boff</i>	95
Suppression of <i>Rhizoctonia</i> root rot of tomato by <i>Glomus mosseae</i> BEG12 and <i>Pseudomonas fluorescens</i> A6RI is associated with combined modes of action <i>Graziella Berta, Simonetta Sampo, Elisa Gamalero, Nadia Massa, Philippe Lemanceau</i>	99
Biological control of <i>Pythium aphanidermatum</i> in cucumber with combined applications of bacterial antagonists with chitosan <i>Joeke Postma, Margarit Willemsen-de Klein</i>	101
Evaluation of the sustainability of strategies that include biocontrol agents to reduce chemical residues on strawberry fruits <i>Roberta Raffaelli, Riccarda Moser, Ilaria Pertot</i>	105
Use of biocontrol agents against powdery mildew in integrated strategies for reducing pesticide residues on strawberry: evaluation of efficacy and side effects <i>Ilaria Pertot, Rosaly Zasso, Liat Amsalem, Mario Baldessari, Gino Angeli, Yigal Elad</i>	109
Integrated management of late blight in greenhouse tomatoes <i>Dani Shtienberg, Haim Vintal, Miri Targerman, Yoel Mesika, Uri Adler, Eli Matan, Yigal Elad</i>	115

Development of a management system for integrated and biological control of <i>Botrytis</i> spp. in flower bulb crops <i>Marjan de Boer, Rik de Werd, Ineke Pennock-Vos, Joop van Doorn, Ernst van den Ende</i>	117
Use of chemical elicitors to reduce insect pest populations on greenhouse tomatoes <i>Anthony J. Boughton, Kelli Hoover, Gary Felton</i>	121
Protoplast fusion, using nitrate non-utilizing (nit) mutants in the entomopathogenic fungus <i>Verticillium lecanii</i> (<i>Lecanicillium</i> spp.) <i>Daigo Aiuchi, Masanori Koike, Masayuki Tani, Katsuhisa Kuramoto, Midori Sugimoto, Hideyuki Nagao</i>	127
Experiences with the entomopathogenic fungus <i>Beauveria brongniartii</i> for the biological control of the common cockchafer <i>Melolontha melolontha</i> <i>Hermann Strasser, Tobias Längle, Barbara Pernfuss, Christoph Seger</i>	131
Antagonistic activity of the entomopathogenic fungus <i>Beauveria bassiana</i> against grape vine pathogens: perspective of combined use against insects and fungi <i>Federica De Luca, Mario Baldessari, Claudia Longa, Ilaria Pertot</i>	133
Selection of entomopathogenic nematodes for heat tolerant and desiccation traits <i>Adriano Ragni, Laura Quattrocchi, Simona Coranelli, Manuele Ricci</i>	137
Development of a bio-insecticide based on a cold-active entomopathogenic nematode <i>Manuele Ricci, Anna Paola Fifi, Marta De Berardinis, Monica Colli, Rosita Barcarotti, Adriano Ragni</i>	139
Combined use of insectpathogenic fungi and nematodes against the onion thrips, <i>Thrips tabaci</i> in the field <i>Kerstin Jung</i>	141
The use of <i>Metarhizium anisopliae</i> against grape phylloxera <i>Martin Kirchmair, Lars Huber, Hermann Strasser</i>	145
Multi trophic relationships - interaction of a biocontrol agent and a pathogen with the indigenous micro-flora on bean leaves <i>Yigal Elad, Simon C. Baker, Jane L. Faull, Jason Taylor</i>	151
Investigation of <i>Trichoderma</i> strains isolated from winter wheat rhizosphere. <i>András Szekeres, Miklós Ládai, László Kredics, Zsuzsanna Antal, Lóránt Hatvani, János Varga, László Manczinger</i>	155
Survey of antagonistic yeasts occurring in apple trees managed with different production systems <i>Rosa Maria Valdebenito-Sanhueza, Leticia Guimaraes, Valdirene Camatti-Sartori, Ribeiro Rute Terezinha da Silva</i>	159
Strategy to control <i>Verticillium dahliae</i> in oilseed rape using <i>Serratia plymuthica</i> HRO-C48 <i>Henry Müller, Remo Meincke, Gabriele Berg</i>	161
Molecular characterization of biocontrol agents <i>M. Rosa Hermosa, Emma Keck, Isabel Chamorro, Belén Rubio, Luis Sanz, Juan A. Vizcaíno, Isabel Grondona, Enrique Monte</i>	165
Studies of soil and rizosphera bacteria to improve biocontrol of avocado white root rot caused by <i>Rosellinia necatrix</i> <i>M. Angeles González Sánchez, Francisco M. Cazorla, Ramos Cayo, Antonio de Vicente, Rosa M. Pérez Jiménez</i>	169
Occurrence of breakdown in the biocontrol of crown gall disease by the <i>Agrobacterium radiobacter</i> strain K84 in Italy. <i>Aida Raio, Raffaele Peluso, Gerardo Puopolo, Astolfo Zoina</i>	173
Microorganisms associated with <i>Platanus acerifolia</i> W. growing in areas infected by <i>Ceratocystis fimbriata</i> f. sp. <i>platani</i> <i>Anna Russo, Cristiana Felici, Paolo Grolli, Stefano Morini, Annita Toffanin</i>	177
Variability of the β -tubulin gene and intergenic spacer (IGS) region as an indicator for characterization of intraspecific variation in Japanese isolates of <i>Verticillium lecanii</i> (<i>Lecanicillium</i> spp.) <i>Midori Sugimoto, Masanori Koike, Kiyohito Teruya, Hideyuki Nagao</i>	181
Compost as substrate for <i>Trichoderma</i> <i>Matteo Montanari, Maurizio Ventura, Gloria Innocenti, Maria Agnese Sabatini</i>	187
Replacement of copper fungicides in organic production of grapevine and apple in Europe (REPCO) <i>Jürgen Köhl, Hanns-Heinz Kassemeyer, Lucius Tamm, Cesare Gessler, Ilaria Pertot, Cyril Bertrand, Bart Heijne, John Hockenhull, Hanne Lindhard, Paulin Köpfer, Marc Trapman, Stefan Brückner</i>	191
Evaluation of the effects of biocontrol agents (BCA) on the beneficial <i>Amblyseius andersoni</i> and the parasite <i>Tetranychus urticae</i> mites <i>Mario Baldessari, Rosaly Zasso, Ilaria Pertot, Gino Angeli</i>	193
Environmental risk assessment of soil-applied fungal biological control agents with respect to European registration <i>Tobias Laengle, Martin Kirchmair, Thomas Bauer, Josef Raffalt, Christoph Seger, Barbara Pernfuss, Hermann Strasser</i>	197
Risk characterization of a potential biocontrol agent: receptor identification, risk assessment and management <i>Davide Gobbin, Claudia Longa, Ilaria Pertot</i>	201
Safety in research: biocontrol agents and semiochemicals risk management in the laboratory <i>Ilaria Pertot, Michele Tommasini, Piero Mattioli</i>	207
<i>Trichoderma</i> applications on sugar beet leaves reduce lesion size and sporulation of <i>Cercospora beticola</i> and increase sucrose yield <i>Stefania Galletti, Claudio Cerato, Luigi Burzi, Simona Marinello, Piergiorgio Stevanato</i>	211
Screening of microorganisms and other alternative seed treatments for activity against seed-borne pathogens of cereals <i>Eckhard Koch</i>	215
Influence of wheat seed treatment with <i>Clonostachys rosea</i> on the expression of PR proteins <i>Roberta Roberti, Annarita Veronesi, Augusto Cesari, Annunziata Cascone, Iris Di Berardino, Carla Caruso</i>	217
Seed treatments for organic vegetable production <i>Annegret Schmitt, Eckhard Koch</i>	221
Antibacterial activity of some essential oils <i>Nicola Sante Iacobellis, Pietro Lo Cantore, Adriana De Marco, Francesco Capasso, Felice Senatore</i>	223
Evaluation of <i>Trichoderma</i> strains as biocontrol tools for integrated management of strawberry root rot <i>Leonor Leandro, Lisa Ferguson, Gina Fernandez, Frank Louws</i>	229
Characterization of avocado root-colonizing bacteria antagonistic against <i>Rosellinia necatrix</i> <i>Clara Pliego, Francisco M. Cazorla, Rosa M. Pérez-Jiménez, Cayo Ramos</i>	235

Integrated management of <i>Pythium</i> root rot in flower bulb production <i>Marjan de Boer, Rik de Werd, Vincent Bijman, Suzanne Breeuwsmaand, Jos Raaijmakers</i>	241
Role of the antifungal compounds produced by <i>Pseudomonas fluorescens</i> PCL1606 in the biocontrol activity of avocado white root rot <i>Francisco M. Cazorla, Diego J. Ruíz-Romero, Eva Arrebola, Guido V. Bloembergen, Alejandro Pérez-García, Ben J.J. Lugtenberg, Antonio de Vicente</i>	243
Exploitation of spent mushroom compost in biological control against melon <i>Fusarium</i> wilt disease <i>Matteo Montanari, Maurizio Ventura, Gloria Innocenti</i>	247
Can incomplete spatial coverage of control measures prevent invasion of fungal parasites? <i>Wilfred Otten, Douglas J Bailey, Jon J. Ludlam, Christopher A. Gilligan</i>	251
Interaction between rhizoplane bacteria and a phytopathogenic Peronosporomycete <i>Aphanomyces cochlioides</i> in relation to the suppression of damping-off disease in sugar beet and spinach <i>Md. Tofazzal Islam, Yasuyuki Hashidoko, Abhinandan Deora, Toshiaki Ito, Satoshi Tahara</i>	255
Studies on efficacy and mode of action of rhizosphere bacteria against <i>Phytophthora</i> spp. in strawberry <i>Jayamani Anandhakumar, Wolfgang Zeller</i>	261
Eradication of plant pathogens and pests from composting wastes and their use in disease suppression <i>Emma Coventry, Léon Fayolle, Sebastien Aimé, Claude Alabouvette, Ralph Noble, John Whipps</i>	265
Multi-target biocontrol efficacy of <i>Clonostachys rosea</i> IK726 <i>Inge M.B. Knudsen, Birgit Jensen, Kaare Møller, Mette Lübeck, John Hockenhull, Dan Funck Jensen</i>	271
Analysis of efficacy of a biocontrol agent to reduce the transmission of infection in damping-off epidemics <i>Wilfred Otten, Anne Bates, Christopher A. Gilligan</i>	275
Recent developments in inoculum production and application, ecology and pathogenicity in the biocontrol agent <i>Coniothyrium minitans</i> <i>John Whipps, Amanda Bennett, Mike Challen, Robert Hill, Daohong Jiang, Eirian Jones, Mark McQuilken, Arjen Rinzema, Chris Rogers, Alison Stewart, Nicola Tomprea</i>	281
TUSAL®, a commercial biocontrol formulation based on <i>Trichoderma</i> <i>Isabel Grondona, Alfonso Rodríguez, Martha I. Gómez, Rafael Camacho, Antonio Llobell, Enrique Monte</i>	285
Application of a yeast, <i>Pichia anomala</i> strain WRL-076 to control <i>Aspergillus flavus</i> for reducing aflatoxin in pistachio and almond <i>Sui-Sheng T. Hua</i>	291
<i>Pseudomonas fluorescens</i> EPS62e, a potential biological control agent of fire blight <i>Jordi Cabrefiga, Marta Pujol, Anna Bonaterra, Esther Badosa, Emilio Montesinos</i>	295
Biocontrol agents against downy mildew of Grape: an ultrastructural study <i>Rita Musetti, Lisa Stringher, Antonella Vecchione, Stefano Borselli, Ilaria Pertot</i>	299
Effect of relative humidity on the efficacy of mycoparasitic fungi and antagonistic bacteria towards cucurbit powdery mildew <i>Diego Romero, Alejandro Pérez-García, Francisco M. Cazorla, Juan A. Torés, Antonio de Vicente</i>	301
Latest results on the biocontrol of fire blight in Germany <i>Zeller Wolfgang, Peter Laux</i>	305
Efficacy of control agents on powdery mildew: a comparison between two populations <i>Liat Amsalem, Rosaly Zasso, Ilaria Pertot, Stanley Freeman, Abraham Sztjenberg, Yigal Elad</i>	309
Grapefruit extract inhibits sporulation and development of <i>Phytophthora ramorum</i> on <i>Rhododendron</i> <i>Leszek B. Orlikowski</i>	315
Comparison of wood colonisation by local <i>Phlebia gigantea</i> strains, Rotstop® and <i>Trichoderma viride</i> on spruce logs in Alpine environment <i>Nicola La Porta, Renata Grillo, Paolo Ambrosi, Ari M. Hietala</i>	319
Selectivity and effectiveness evaluation of electrolyzed acidic water (EAW) alone and in mixture with Shin-Etsu surfactants, against tomato late blight <i>Phytophthora infestans</i> <i>Francesco Savino, Andrea Iodice, Vittorio Veronelli</i>	325
Biological control of powdery mildew by Q-fect WP® (<i>Ampelomyces quisqualis</i> 94013) in various crops <i>Sang-Yeob Lee, Sang-Bum Lee, Choong-Hoe Kim</i>	329
Control of powdery mildew on organic pepper <i>Leah Tsror (Lahkim), Sara Lebiush-Mordechai, Nurit Shapira</i>	333
Phenotypic traits underlying wound competence of postharvest biocontrol yeasts and degradation of mycotoxins by these microorganisms <i>Raffaello Castoria, Leonardo Caputo, Valeria Morena, Filippo De Curtis, Vincenzo De Cicco</i>	339
Evaluation of population density of <i>Pichia anomala</i> strain K and <i>Candida oleophila</i> strain O and their protection against <i>Penicillium expansum</i> Link on apples <i>Rachid Lahlali, M. Haïssam Jijakli</i>	341
Comparative study of the role of chitinase and pyrrolnitrin for biocontrol activity in <i>Serratia plymuthica</i> strain IC1270 <i>Sagi Gavriel, Zafar Ismailov, Marianna Ovadis, Ilan Chet, Leonid Chernin</i>	347
Formulation and shelf-life studies of the biocontrol yeast <i>Pichia anomala</i> : positive effect of endogenous solutes, isotonic solutions and additives during fluidised-bed drying <i>Stella Mokiou, Naresh Magan</i>	351
Post-harvest biological control of a wide range of fruit types and pathogens by <i>Pantoea agglomerans</i> EPS125 <i>Anna Bonaterra, Jesús M. Francés, M. Carmen Moreno, Esther Badosa, Emilio Montesinos</i>	357
Systemic resistance in <i>Arabidopsis thaliana</i> induced by biocontrol agent <i>Trichoderma harzianum</i> <i>Nadia Korolev, Yigal Elad</i>	363
Isolation of fungicide-resistant mutants from cold-tolerant <i>Trichoderma</i> strains and their <i>in vitro</i> antagonistic properties <i>Lorant Hatvani, Andras Szekeres, Laszlo Kredics, Zsuzsanna Antal, Laszlo Manczinger</i>	367
Protease over-production in the presence of copper by a <i>Trichoderma harzianum</i> strain with biocontrol potential <i>László Kredics, Lóránt Hatvani, Zsuzsanna Antal, András Szekeres, László Manczinger, Elizabeth Nagy</i>	371

Mycoparasitism against sclerotia of <i>Sclerotium rolfsii</i> and <i>Sclerotinia sclerotiorum</i> is widespread within the genus <i>Trichoderma</i> <i>Sabrina Sarrocco, Maurizio Forti, Giovanni Vannacci</i>	375
Discrimination of <i>Heterobasidion annosum</i> ISGs by measurement of volatile organic compounds <i>Nicola La Porta, Franco Biasioli, Flavia Gasperi, Tilmann D. Märk</i>	379
An antifungal α -1,3-glucanase (AGN13.2) from the biocontrol fungus <i>Trichoderma asperellum</i> <i>Luis Sanz, Manuel Montero, Manuel Rey, Antonio Llobell, Enrique Monte</i>	383
Mutual relationships between species of <i>Armillaria</i> and <i>Heterobasidion</i> on agar medium <i>Nicola La Porta, Renata Grillo, Paolo Ambrosi, Kari Korhonen</i>	387
Possible involvement of induced systemic resistance in sugar beet against <i>Cercospora beticola</i> by leaf treatment with <i>Trichoderma</i> sp. <i>Roberta Roberti, Simona Marinello, Claudio Cerato, Pier Luigi Burzi, Annarita Veronesi, Augusto Cesari</i>	393
Going underground: nature of soil suppressiveness to <i>Rhizoctonia solani</i> in sugar beet <i>Yvette Bakker, Johannes H.M. Schneider</i>	397
Endophytes: a new source for multi-target biological control agents? <i>Gabriele Berg, Annette Krechel, Jana Lottmann, Franziska Faltin, Andreas Ulrich, Johannes Hallmann, Rita Grosch</i>	399
Novel understanding of the biocontrol mechanisms of <i>Trichoderma</i> , a mycoparasite and an opportunistic avirulent plant symbiont <i>Sheridan L. Woo, Michelina Ruocco, Patrizia Ambrosino, Roberta Marra, Rosalia Ciliento, Stefania Lanzuise, Valeria Scala, Francesco Vinale, Sara Gigante, Lucia Catapano, Felice Scala, Matteo Lorito</i>	405
Studies on induced resistance against fire blight (<i>Erwinia amylovora</i>) with different bioagents <i>Wolfgang Zeller, Abo-Elyousr Kamal</i>	407
Risk related to BCAs: reality or phantom risk? <i>Cesare Gessler</i>	415
Transferring scientific results into practice – experience and problems <i>Aleid Dik</i>	419
EU registration problems and possible solution <i>Sergio Franceschini, Fabrizio Jondini</i>	423
What will be the future for BCAs? The industry point of view on problems in developing BCAs <i>Massimo Benuzzi</i>	427