

IOBC/wprs Bulletin Vol. 31, 2008

Working Group “Insect Pathogens and Insect Parasitic Nematodes”, Proceedings of the Meeting at Alés (France), 3-7 June, 2007. Edited by: Ralf-Udo Ehlers, Jürg Enkerli, Itamar Glazer, Miguel-López-Ferber & Cezary Tkaczuk. ISBN 978-92-9067-205-0 [xxv + 348 pp.].

Preface	v
List of Participants	vii
Contents.....	xvii

Key notes and regulation of biological control agents

The significance of genetic variability in fungal biological control agents <i>M. Typas</i>	3
Stability of beneficial traits during liquid culture of entomopathogenic nematodes <i>R.-U. Ehlers</i>	4-7
Evolution of the frequencies of SfMNPV genotypic variants in artificial populations <i>M. López-Ferber, O. Simón, T. Williams, P. Caballero</i>	8
<i>Bacillus thuringiensis</i> resistant insects and their mechanisms of resistance <i>S. Herrero</i>	9
Field resistance to <i>Cydia pomonella</i> granulovirus – a new challenge for research and application of baculovirus insecticides <i>J. Jehle</i>	10
Persistent virus infections in laboratory and field insect populations: fact or myth? <i>R. Possee, R. I. Graham, J. P. Burden, L. A. King, R. Hails</i>	11-17
Regulation of microbial biocontrol agents in Europe – Results of the REBECA Policy Support Action <i>R.-U. Ehlers</i>	18-19
Current data requirements for the environmental and ecotoxicological risk assessment <i>R. Hauschild</i>	20
REBECA Proposal on the assessment of microbial metabolites <i>H. Strasser, M. Typas, C. Altomare, T. M. Butt</i>	21-26
The impact of Plant Protection Products (PPPs) on non-target organisms: soil microbiota <i>C. Felici, C. Cristani, S. Degl’Innocenti, M. Nuti</i>	27
How to evaluate the environmental safety of microbial pest control products? A proposal <i>B.J.W.G. Mensink</i>	28-31

Virus

<i>Sf29</i> is a viral factor that could be involved in virion packing within the OBs <i>O. Simón, S. Ros, A. Gaya, P. Caballero, R. D. Possee</i>	35
<i>Acp26</i> , a low transcribed gene, has no effect on AcMNPV replication and pathogenesis in cell culture or lepidopteran hosts <i>O. Simón, P. Caballero, R. D. Possee</i>	36
Importance of peroral infection factors (<i>pif</i> and <i>pif-2</i>) in the interactions between genotypes of <i>Spodoptera frugiperda</i> multiple nucleopolyhedrovirus (SfMNPV) <i>G. Clavijo, O. Simón, D. Muñoz, T. Williams, M. López-Ferber, P. Caballero</i>	37
The role of midgut enzymes in the infectivity of baculoviruses <i>B. Arif, J. Slack, P. Krell</i>	38
Revisiting the pathology of <i>Junonia coenia</i> densovirus for a potential use as a biopesticide <i>M. Ogliastro, D. Mutuel, M. Ravallec, A. Vendeville, X. Jousset, M. Bergoin</i>	39
Evaluation of the <i>per os</i> insecticidal activity of baculoviruses by a nebulization method <i>M. V. Carrera, J.-L. Zeddarn, A. Pollet, X. Léry, M. López-Ferber</i>	40-43
The importance of genetic variability in a natural baculovirus population <i>M. López-Ferber, O. Simón, T. Williams, P. Caballero</i>	44-49
Developing new baculovirus products or “How to walk a tightrope” <i>P. Kessler, M. Benuzzi, F. Mayoral</i>	50-53

Interactions between the ectoparasitoid <i>Euplectrus plathypenae</i> and two nucleopolyhedroviruses in <i>Spodoptera exigua</i> and <i>S. frugiperda</i> larvae <i>E. Stoianova, J. Cisneros, D. Muñoz, T. Williams, P. Caballero</i>	54
Compatibility of <i>Spodoptera frugiperda</i> nucleopolyhedrovirus with organic solvents used for microencapsulation <i>L. Villamizar, M. López-Ferber, F. Martínez, A. Cotes</i>	55-58
Effect of parasitism on a nucleopolyhedrovirus amplified in <i>Spodoptera frugiperda</i> larvae parasitized by <i>Euplectrus plathypenae</i> <i>J. Cisneros, D. Muñoz, T. Williams, P. Caballero</i>	59
Influence of lepidopteran TC14.7 transposon on <i>Cydia pomonella</i> granulovirus gene transcription regulation <i>W. H. El Menofy, J. A. Jehle</i>	60
Molecular and biological characterization of new isolates of <i>Cydia pomonella</i> granulovirus (CpGV) from the Iran <i>M. Rezapanah, S. Shojai-Estabragh, J. Huber, J. A. Jehle</i>	61
A solution against resistance of French codling moth to CpGV? <i>M. Berling, M. López-Ferber, A. Bonhomme, B. Sauphanor</i>	62
Molecular and biological analysis of a new CpGV isolate (I12) that breaks CpGV resistance in codling moth <i>K. E. Eberle, S. M. Sayed, M. Rezapanah, J. A. Jehle</i>	63
Selection of a new virus isolate to control CpGV-resistant codling moth populations <i>M. Züger, F. Bollhalder, P. Kessler, M. Andermatt</i>	64-66
Resistance of codling moth (<i>Cydia pomonella</i>) to granulosis virus (CpGV) in southeast France: First observations on the mode of inheritance <i>M. Berling, M. López-Ferber, A. Bonhomme, B. Sauphanor</i>	67
The use of CpGV and mating disruption against <i>Cydia pomonella</i> (L.) in the organic apple production <i>V. Falta, V. Stará, F. Kocourek</i>	68-71
Evaluation of the persistence of <i>Adoxophyes orana granulovirus</i> and <i>Cydia pomonella granulovirus</i> in populations of their hosts by molecular methods <i>J.K. Kundu J. Stará, T. Zichová, F. Kocourek</i>	72-75
Control of lepidopteran pests in orchards by baculoviruses and mating disruption <i>V. Stará, F. Kocourek, V. Falta</i>	76
Development of a granulovirus based insecticide to control the potato tuber moths, <i>Tecia solanivora</i> and <i>Phthorimaea operculella</i> <i>L. F. Villamizar, C. Espinel, E. Grijalba, P. Cuartas, A. López-Ávila, A. Cotes</i>	77-82
Analysis of several Colombian <i>Phthorimaea operculella</i> granulovirus isolated from <i>Tecia solanivora</i> : Detection of a new variable region in the PhopGV genome <i>X. Léry, L. Villamizar, C. Espinel, J.-L. Zeddám, A.-M. Cotes, M. López-Ferber</i>	83
Perspectives for the control of insect pests with baculoviruses in vegetable crops in Tunisia <i>A. Laarif, E. Salhi, S. Fattouch, N. Zellama, M.H. Ben Hamouda</i>	84
Isolation, identification and biocontrol activity of Colombian isolates of granulovirus form <i>Tecia solanivora</i> larvae <i>L. Villamizar, C. Espinel, E. Grijalba, J. Gómez, A. Cotes, L. Torres, G. Barrera, X. Léry, J.-L. Zeddám</i>	85-88
Molecular and biological characterization of a novel granulovirus isolate from <i>Phthorimaea operculella</i> found in Costa Rica <i>Y. Gómez-Bonilla, X. Léry, D. Muñoz, M. López-Ferber, P. Caballero</i>	89
Bacteria	
New hope for the microbial control of <i>Musca domestica</i> L. <i>L. Ruiu, A. Satta, D. J. Ellar, I. Floris</i>	93-98

The taxonomic position of the entomopathogenic bacterium <i>Rickettsiella grylli</i> : 16S rRNA genes and beyond A. Leclerque, R. G. Kleespies	99-104
Plant-beneficial pseudomonad with insecticidal activity M. Péchy-Tarr, E. Fischer, M. Maurhofer, J. Grunder, C. Keel	105
Insecticidal activity found in plant-beneficial pseudomonas and in <i>Photorhabdus</i> / <i>Xenorhabdus</i> J. Grunder, E. Fischer, M. Péchy-Tarr, M. Maurhofer, C. Keel	106
IS5056, a new <i>Bacillus thuringiensis</i> isolate with entomopathogenic properties I. Swiecicka, D. K. Bideshi, B. A. Federici	107
Development of isolation methods for <i>Bacillus thuringiensis</i> and evaluation of their ability to inhibit pathogenic bacteria S. Andrzejczak	108
The role of solubilization and proteolytic processing in the mode of action and insect specificity of <i>Bacillus thuringiensis thompsoni</i> crystal proteins R. Boncheva, S. Naimov, R. Karlova, R. A. de Maagd	109
Characterisation of an N terminal Cry1Ac mutant that shows increased toxicity towards a resistant population of <i>Plutella xylostella</i> (SERD4) M. Bruce, N. Crickmore, A. Sayyed, J. Ferré	110
Integrated biological control strategy to avoid resistance development of <i>Plutella xylostella</i> against <i>Bacillus thuringiensis</i> X. Yi, S. Schroer, R. Han, R.-U. Ehlers	111-116
Study of the mechanism of resistance to <i>Bacillus thuringiensis</i> Cry3A toxin in a natural population of the leaf beetle, <i>Chrysomela tremulae</i> (Coleoptera: Chrysomelidae) M. van Munster, S. Augustin, C. Courtin, D. Bourguet, D. Pauron.....	117
Efficacy of submultiples doses of <i>Bacillus thuringiensis</i> compounds against <i>Lobesia botrana</i> (Lepidoptera, Tortricidae) D.C. Kontodimas, O. Anastasopoulou, M. Anagnou-Veroniki	118-121
Acaricidal activity of <i>Bacillus thuringiensis</i> toxins against mite pests R. Zemek, J. Hubert	122
The efficiency of some biological insecticides against the Potato Tuber Moth <i>Phthorimaea operculella</i> (Zeller) (Lepidoptera: Gelechiidae) in organic potatoes in Cyprus V. A. Vassiliou	123-126
Sublethal effect of Bt-maize in semi-artificial diet on European corn borer larvae, <i>Ostrinia nubilalis</i> (Hübner, 1796) (Lepidoptera, Crambidae) L. Cagáň, M. Barta	127-130
Binding and pore formation of Cyt1Aa and Cry11Aa toxins of <i>Bacillus thuringiensis israelensis</i> to brush border membrane vesicles of <i>Tipula paludosa</i> (Diptera: Nematocera) J. Oestergaard, R.-U. Ehlers, A. C. Martínez-Ramírez, M. D. Real	131
Susceptibility of <i>Tipula paludosa</i> against <i>Bacillus thuringiensis israelensis</i> , <i>Steinernema carpocapsae</i> and <i>Steinernema feltiae</i> O. Strauch, J. Oestergaard, R.-U. Ehlers	132-135
Cellular effects of the <i>Bacillus sphaericus</i> Binary toxin on MDCK cells expressing its receptor O. Opota, N. Gauthier, A. Doye, P. Gounon, C. Berry, E. Lemichez, D. Pauron	136
New molecular phylogeny of <i>Photorhabdus</i> and <i>Xenorhabdus</i> based on a multigene approach A. Paule, S. Pagès, C. Laroui, S. P. Stock, P. Tailliez	137
Identification and typing of <i>Photorhabdus</i> isolates from entomopathogenic nematodes in Hungarian soils T. Tóth, T. Lakatos, Z. Kaskötő	138-143
Latest progress in the intellectual property in the field of <i>Photorhabdus</i> and <i>Xenorhabdus</i> A. Ragni, G. Flek	144-149

Exploiting the <i>Photorhabdus</i> genome <i>R. ffrench-Constant, A. Dowling, M. Hares, J. Parkhill, N. Waterfield</i>	150
<i>Photorhabdus</i> and <i>Xenorhabdus</i> : potent secondary metabolite producers <i>A. O. Brachmann, G. Schwär, H. B. Bode</i>	151-156
New perspectives on <i>Xenorhabdus</i> antibiotics research <i>A. Fodor, S. Forst, L. Haynes, M. Hevesi, J. Hogan, M. G. Klein, A. Máthe-Fodor, E. Stackebrandt, A. Szentirmai, F. Sztaricskai, T. Érsek, M. Zeller</i>	157-164
Functional genomics of <i>Photorhabdus asymbiotica</i> - rapid virulence annotation (RVA) of pathogen genomes using invertebrate models <i>M. Sánchez-Contreras, R. H. ffrench-Constant, N. R. Waterfield</i>	165
<i>Photorhabdus</i> spp. and <i>Xenorhabdus</i> spp: Only feed for mass production of nematodes? <i>A. Peters</i>	166-169
Fungi	
Assessing winter survival of <i>Pandora neoaphidis</i> in soil applying bioassay and molecular approaches <i>A. Fournier, F. Widmer, S. Keller, J. Enkerli</i>	173-177
Partial purification and characterization of an insecticidal and antifeedant protein produced by the entomopathogenic fungus <i>Metarhizium anisopliae</i> <i>A. Ortiz-Urquiza, I. Garrido-Jurado, C. Santiago-Álvarez, E. Quesada-Moraga</i>	178-185
Factors important for the use of <i>Neozygites floridana</i> in biological control of the twospotted spider mite, <i>Tetranychus urticae</i> <i>I. Klingen, K. Westrum, S. S. Nilsen, N. Trandem, G. Wærsted</i>	186
Supplementary data to the biology and taxonomy of fungous strains from mites and insects <i>R. Mietkiewski, S. Balazy, C. Tkaczuk, M. Wrzosek</i>	187
Effects of <i>Beauveria bassiana</i> on <i>Ips sexdentatus</i> and on <i>Thanasimus formicarius</i> <i>B. M. Steinwender, R. Wegensteiner</i>	188
Horizontal transmission of entomopathogenic fungi between sexes of the Mediterranean fruit fly <i>Ceratitis capitata</i> Wied. (Diptera; Tephritidae) <i>E. Quesada-Moraga, I. Martín-Carballo, C. Santiago-Álvarez</i>	189
Laboratory evaluation of <i>Beauveria bassiana</i> (Bals.) Vuill. against <i>Ips amitinus</i> (Coleoptera, Curculionidae) <i>R. Wegensteiner, J. Weiser</i>	190
Field application of entomopathogenic fungi against <i>Rhagoletis cerasi</i> <i>C. Daniel, S. Keller, E. Wyss</i>	191-194
Natural occurrence of entomopathogenic fungi infecting the Red Palm Weevil <i>Rhynchophorus ferrugineus</i> (Olivier, 1790) (Coleoptera, Curculionidae) in Southern Italy <i>E. Tarasco, F. Porcelli, M. Poliseno, E. Quesada Moraga, C. Santiago Álvarez, O. Triggiani</i>	195-197
Studies on ecological and physiological host range of entomopathogenic Hyphomycetes <i>R. Seskena, V. Petrova, M. Jankevica, L. Jankevica</i>	198-203
Sampling and occurrence of entomopathogenic fungi in soil from <i>Cameraria ohridella</i> (Lepidoptera: Gracillariidae) habitats <i>E. Prenerova, R. Zemek, F. Weyda, L. Volter</i>	204
Dissemination strategies of the entomopathogenic fungus <i>Lecanicillium muscarium</i> Zare, Gams 2000 in the host population of <i>Frankliniella occidentalis</i> Pergande <i>S. Lerche, H. Sermann, C. Büttner</i>	205-208
Preliminary investigations on the occurrence of arthropod fungal pathogens in Austria <i>C. Tkaczuk, S. Balazy, R. Wegensteiner</i>	209-213
Efficacy of entomopathogenic fungi in control of different stages of western flower thrips (<i>Frankliniella occidentalis</i> Pergande) <i>Z.A. Fiedler, D. Sosnowska</i>	214
The potential of <i>Beauveria brongniartii</i> and botanical insecticide to control	

<i>Otiorhynchus sulcatus</i> larvae in potted plants J. D. Kowalska	215
Efficacy of a <i>Beauveria bassiana</i> (Vuillemin) strain against the Castniid palm borer <i>Paysandisia archon</i> (Burmeister, 1880) under laboratory and natural conditions S. Besse-Millet, A. Bonhomme, K. Panchaud	216-219
Efficacy of entomopathogenic fungi against larvae of the horse chestnut leafminer <i>Cameraria ohridella</i> Deschka & Dimic, 1986 (Lepidoptera: Gracillariidae) M. Kalmus, H. Sermann, S. Lerche, C. Büttner	220-222
Efficiency of the entomopathogenic fungus <i>Lecanicillium muscarium</i> on hibernating pupae of <i>Cameraria ohridella</i> Deschka & Dimic, 1986 (Lepid., Gracillariidae) D. Richter, H. Sermann, C. Jantsch, B. Jäckel, C. Büttner	223-227
Susceptibility of <i>Rhagoletis cerasi</i> to entomopathogenic fungi C. Daniel, S. Keller, E. Wyss	228-233
Influence of plant species and pests on the development of pathogenic fungus <i>Paecilomyces lilacinus</i> in soil conditions D. Sosnowska	234
Exposure of greenhouse workers to fungal biocontrol agents in vegetable production V. M. Hansen, A. M. Madsen, N. V. Meyling, J. Eilenberg	235-238
The impact of soil treatment on soil mycobiota M. Kirchmair, S. Neuhauser, L. Huber, H. Strasser	239-244
Antagonists of the spruce bark beetle <i>Ips typographus</i> L. (Coleoptera: Scolytidae) of German and Georgian populations M. Burjanadze, J. C. Moser, G. Zimmermann, R. G. Kleespies	245-250
The challenge of controlling multispecies white grub associations S. Keller, Y. Dhoj G.C., C. Schweizer	251-256
Sublethal effects of <i>Nomuraea rileyi</i> on development of <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae) C. Espinel, A. Cotes	257-260
Nematodes	
Isolation and characterization of new populations of entomopathogenic nematodes from Israel N. Mikaia, L. Salame, C. Chkhubianishvili, I. Glazer	263
A new steinernematid epn from Sardinia island (Italy) E. Tarasco, Z. Mráček, K. B. Nguyen, O. Triggiani	264-266
First record of entomopathogenic nematodes in Slovenia and perspectives of their use Ž. Laznik, T. Tóth, T. Lakatos, S. Trdan	267-268
Entomopathogenic nematodes from biological agriculture and identification of their symbiotic bacteria N. Pionnier, S. Pagès, E. Filleron, S. Pinczon Du Sel, J. Lambion, L. Romet, P. Tailliez	269
Association of <i>Phasmarhabditis</i> species with terrestrial molluscs J. Ross, G. Nicol, S. Spiridonov, E. Ivanova, S. Haukeland, M. Wilson	270
Synergistic interaction between <i>Steinernema feltiae</i> and <i>Paecilomyces fumosoroseus</i> ? M. Zec-Vojinovic	271-276
Scavenging behaviour in some entomopathogenic nematode species E. San-Blas, S. R. Gowen	277
Phoresy in entomopathogenic nematodes – a mode of dispersal? L. M. Kruitbos, S. Heritage, M. J. Wilson	278
Effects of in host desiccation stress on development and infectivity of <i>Steinernema</i> <i>websteri</i> D. Easterhoff, A. Marion, R. Reinke, S. Bornstein-Forst	279
An autochthonous strain of <i>Steinernema feltiae</i> against Mediterranean flatheaded rootborer, <i>Capnodis tenebrionis</i> (Coleoptera, Buprestidae): Field experiments A. Morton, F. Garcia del Pino	280

Entomopathogenic nematodes for control of codling moth: efficacy assessment under laboratory and field conditions <i>S. Mouton, D. Juan, P. Coulomb</i>	281-286
Effectiveness of entomopathogenic nematodes in the control of <i>Cydia pomonella</i> overwintering larvae in Northern Italy <i>A. Reggiani, G. Curto, S. Vergnani, S. Caruso, M. Boselli</i>	287-293
Foliar application of EPNs to control <i>Xantogaleruca luteola</i> Müller (Coleoptera, Chrysomelidae) <i>O. Triggiani, E. Tarasco</i>	294-296
Cultivation conditions of biocomplexes applicable to control <i>Melolontha melolontha</i> <i>C. Sisak, Z. Kaskötő, T. Tóth, T. Lakatos</i>	297-300
Recovery of <i>Steinernema carpocapsae</i> and <i>Steinernema feltiae</i> in liquid culture <i>A. Hirao, R.-U. Ehlers</i>	301-306
Differential gene expression of recovery in <i>Heterorhabditis bacteriophora</i> <i>A. Moshayov, H. Koltai, I. Glazer</i>	307
Expression of different desiccation tolerance related genes in various species of entomopathogenic nematodes <i>V. S. Somvanshi, H. Koltai, I. Glazer</i>	308
Genetic improvement of beneficial traits mixed population of <i>Steinernema feltiae</i> for enhancement of persistence and efficacy <i>M. Chubinishvili, L. Salame, C. Chkhubianishvili, I. Glazer</i>	309
Soil insect pests and miscellaneous	
When should we use biocontrol agents against leatherjackets (<i>Tipula paludosa</i> Meig.) <i>R.P. Blackshaw</i>	313-318
Biocontrol of <i>Capnodis tenebrionis</i> (L.) (Col., Buprestidae) with entomopathogenic fungi <i>P. Marannino, C. Santiago Álvarez, E. de Lillo, E. Tarasco, O. Triggiani, E. Quesada Moraga</i>	319-326
Infectivity of <i>Steinernema feltiae</i> and <i>Heterorhabditis bacteriophora</i> towards first and second stage larvae of the forest cockchafer, <i>Melolontha hippocastani</i> <i>K. Jung, A. Peters, J. Pelz</i>	327-330
Susceptibility of soil-dwelling developmental stages of rose-infesting sawflies to entomopathogenic nematodes <i>M. Tomalak</i>	331
Field results on the use of <i>Heterorhabditis bacteriophora</i> against the invasive maize pest <i>Diabrotica virgifera virgifera</i> <i>R.-U. Ehlers, U. Kuhlmann, S. Toepfer</i>	332-335
Pest status of <i>Tecia solanivora</i> (Povolny 1973) (Lepidoptera: Gelechiidae), Guatemalan Potato Moth, in the Canary Islands <i>A. Carnero, A. Padilla, S. Perera, E. Hernández, E. Trujillo</i>	336-339
Development of microsatellite markers for the assessment of population structure of the European cockchafer <i>Melolontha melolontha</i> <i>J. Enkerli, A. Gisler, R. Kölliker, F. Widmer</i>	340
Protozoa, fungi and nematodes in <i>Gastrophysa viridula</i> (Coleoptera, Chrysomelidae) from Austria and Poland <i>R. Wegensteiner, C. Tkaczuk, S. Balazy, H. Kaiser</i>	341
Occurrence of protozoan pathogens in <i>Hyllobius abietis</i> L. (Col., Curculionidae) from Austria, Poland and Sweden <i>S. Griesser, R. Wegensteiner</i>	342
Bioassays with entomopathogenic organisms on adult <i>Cosmopolites sordidus</i> (Germar, 1824) (Coleoptera: Curculionidae) <i>A. Padilla Cubas, A. Carnero Hernández, L. V. López-Llorca, F. García del Pino</i>	343
Biological control of <i>Thrips tabaci</i> in the field – possibilities and practical limits <i>K. Jung</i>	344-348