

IOBC/wprs Bulletin Vol. 36, 2008

Working Group “Integrated Protection in Viticulture”, Proceedings of the Working Group meeting at Marsala (Sicily, Italy), 25 - 27 October, 2007. Edited by: Giuseppe Carlo Lozzia, Andrea Lucchi, Salvatore Ragusa Di Chiara & Haralabos Tsolakis. ISBN 978-92-9067-210-4 [xvi + 377 pp.].

Preface	v
Editorial	i
List of participants	v
Economic and structural aspects of vitiviniculture in Sicily	
<i>A. Ascianto, S. Bacarella</i>	1-18
“In Vitro” antagonism of a grapevine endophytic <i>Bacillus subtilis</i> strain towards “esca” fungi	
<i>A. Alfonzo, V. Ventorino, L. Torta, S. Burruano, G. Moschetti</i>	19-24
Efficacy of microorganisms and natural products against grapevine powdery mildew	
<i>D. Angeli, L. Maines, C. Sicher, H.-A. Assaf, C. Longa, Y. Elad, V. Simeone, I. Pertot</i>	25-30
Natural occurrence of <i>Ampelomyces</i> spp. as <i>E. necator</i> mycoparasite in the vineyards of Trentino Province (Northern Italy) and efficacy evaluation of <i>A. quisqualis</i> in integrated powdery mildew management	
<i>D. Angeli, L. Maines, E. di Marino, Enzo Mescalchin, I. Pertot</i>	31-34
VitiMeteoPlasmopara – a modern tool for integrated fungicide strategies	
<i>G. Bleyer, H.-H. Kassemeyer, O. Viret, W. Siegfried, R. Krause</i>	35-36
Grapevine infectious diseases in Sicily	
<i>S. Burruano, G. Granata</i>	37-44
Evaluation of grapevine resistance to downy and powdery mildew in a population segregating for run1 and rpv1 resistance genes.	
<i>A. Calonnec, L. Delière, P. Cartolaro, F. Delmotte, D. Forget, S. Wiedemann-Merdinoglu, D. Merdinoglu, C. Schneider</i>	45-52
Detection of 16SrXII-A phytoplasma in insects collected in vineyards of South Italy	
<i>V. Cavalieri, V. D’Urso, L. Ferretti, C. Rapisarda</i>	53-60
Tolerance of Tunisian Grapevine to <i>Uncinula necator</i>	
<i>S. Chebil, N. Zeghonda, N. Jallouli, S. Lasram, H. Zemni, A. Ghorbel and A. Mliki</i>	61-68
In semi-vivo antagonism of <i>Acremonium byssoides</i> towards <i>Plasmopara viticola</i>	
<i>G. Conigliaro, S. Lo Piccolo, L. Torta and S. Burruano</i>	69-72
Approach of the sociological factors influencing the vine growers commitment while apprehending the integrated production in the Aquitaine and Charentes area.	
<i>T. Coulon, F. Hugueniot, C. Compagnone</i>	73-79
Technical and economical validation of the integrated vine growing production approach on a network of reference farms in the Bordeaux and Cognac vineyards Evaluation 2000-2006	
<i>T. Coulon, F. Hugueniot</i>	81-86
Replacement of copper in organic viticulture: efficacy evaluation of new natural fungicides against downy mildew	
<i>S. Dagostin, T. Formolo, I. Pertot</i>	87-90
A multivariate analysis of combined effects of (micro)climate, vegetative and reproductive growth on grey mould incidence in grapevine	
<i>M. Fermaud, H. Valdés-Gómez, A. Calonnec, J. Roudet, C. Gary</i>	91-94
Development of monitoring schedules for grape diseases at regional scale	
<i>E. Fulchin, M. Van Helden</i>	95-99
Control of Blackrot (<i>Guignardia bidwellii</i>) on the hybrid <i>vitis</i> cultivar Isabella	
<i>C. Gessler, F. Foiada, M. Jermini, I. Pertot</i>	101-105
Sloping ice from the wings of airplanes – A potential cause for locally limited <i>Plasmopara viticola</i> primary infections?	
<i>G. K. Hill</i>	106

Flavescence dorée and <i>Scaphoideus titanus</i> : Distribution and control in Switzerland M. Jermini, M. Gusberti, L. Schaub, C. Linder, P. Gugerli, S. Schärer, P. Kehrli, L. Colombi, S. Bellion, S. Emery	107-111
Effect of late season sprays against <i>Botrytis</i> on quality of the wines W. K. Kast, O. Schmidt, K. Bleyer	113-116
Water-glass (SiO ₂), an excellent, mostly overseen tool in fruit-rot control W. K. Kast, K. Bleyer, R. Fox	117-120
Bois noir, a severe outbreak of stolbur type A in Southern Germany - disease abundance and treatments against disease-causing agents and vectors W. K. Kast, M. Stark-Urnau, K. Bleyer	121-125
Bois noir disease of the grapevine in Alsace: field transmission, observations made on symptomatology and reduction of transmission risk by the vector <i>Hyalesthes obsoletus</i> Signoret P. Kuntzmann, E. Bogen, C. Renel	127-136
Time of treatment and selection of fungicides importance in control of Phomopsis cane and leaf spot disease of grapevine N. Latinovic, P. Vukša, Z. Vucinic, J. Latinovic	137-143
An expert-based crop protection decision strategy against grapevine's powdery and downy mildews epidemics: Part 1) formalization B. Leger, P. Cartolaro, L. Delière, L. Delbac, M. Clerjeau, O. Naud	145-153
Detection of endophytic bacteria in leaves of <i>Vitis vinifera</i> by using Fluorescence <i>in Situ</i> Hybridization (FISH) S. Lo Piccolo, G. Conigliaro, D. Ercolini, L. Torta, S. Burruano and G. Moschetti	155-159
Biodiversity in the grapevine: rhizosphere arthropods and mycorrhizal fungi A. Martorana, L. Torta, G. Lo Verde, E. Ragusa, S. Burruano and S. Ragusa	161-165
Early detection of selection for resistance in <i>Plasmopara viticola</i> populations treated with organically based fungicides C. L. Matasci, D. Gobbin, H.-J. Schärer, C. Stutz, L. Tamm, C. Gessler	167-174
Incidence and development of Esca disease in Trentino Province (Northern Italy) L. Michelon, C. Pellegrini, I. Pertot	175-180
Preliminary studies on "esca" disease in Sicilian vineyards V. Mondello, G. Conigliaro, A. Alfonso, V. Ferraro, L. Torta, S. Burruano	181-187
"Optimizer": a decision support system to reduce copper in organic viticulture D. Prodorutti, A. Pellegrini, S. Simon, Y. Gafni, T. Kuflik, A. Frizzi, I. Pertot	189-192
Impact de l'estimation des pluies par radar sur la représentation spatiale de la modélisation du risque d'épidémie de mildiou sur le vignoble de Bordeaux M. Raynal, C. Debord, K. Griaud, S. Strizyk, D. Boisgontier, J. Congnard, D. Grimal	193-201
Powdery mildew of grape on leaves – is it a problem? Z. Tirtza, R. Moshe	203-206
Competitive colonisation of <i>Penicillium expansum</i> and <i>Botrytis cinerea</i> on grapes R. Walter, M. Harms, H. Buchenauer	207-214
Characteristics of wine and table grapevine hybrids tested for cultivation in Trentino (northern Italy) L. Zulini, A. Vecchione, L. Antonelli, M. Stefanini	215-219
The impact of spiders (Araneae) on <i>Lobesia botrana</i> (Denis & Schiffermüller) population density R. Addante, S. Di Gioia, C. Calculli, A. Pollice	221-231
Olfactory responses of <i>Eupoecilia ambiguella</i> (Hübner) (Lepidoptera Tortricidae) females to volatiles from grapevine G. Anfora, M. Tasin, A.-C. Bäckmann, E. Leonardelli, A. De Cristofaro, A. Lucchi, C. Ioriatti	233-236
Comparison of two methods for the agrochemicals side effect evaluation on Phytoseiid mites in vineyards. M. Baldessari, R. Maines, G. Angeli	237-243

Olfactory cells responding to the main pheromone component and plant volatiles in <i>Lobesia botrana</i> (Den. & Schiff.): possible effects on monitoring systems A. De Cristofaro, S. Vitagliano, G. Anfora, G.S. Germinara, M. Tasin, A. Lucchi, C. Ioriatti, G. Rotundo	245-249
Notes on the distribution and the phenology of <i>Erasmoneura vulnerata</i> (Fitch) (Homoptera: Cicadellidae) in North-Eastern Italy C. Duso, R. Moret, G. Marchegiani, A. Pozzebon	251-254
Effects of irrigation on <i>Empoasca vitis</i> populations D. Fornasiero, F. M. Buzzetti, A. Pozzebon, C. Duso	255-258
Simulation of <i>Lobesia-botrana</i> -egg-laying for autecological and insecticide studies C. Hoffmann	259-265
Seasonal abundance and distribution of <i>Planococcus ficus</i> on grape vine in Sardinia A. Lentini, G. Serra, S. Ortu, G. Delrio	267-272
Impact of the erineum mite <i>Colomerus vitis</i> on Muscat C. Linder, M. Jermini, V. Zufferey.....	273-277
Ecological infrastructures in a vineyard of Western Sicily Lo Genco A., Fucarino A. and Lo Pinto M.	279-281
Arthropods as biological soil quality indicators in a vineyard under different soil management G. Lo Verde, V. Palermo, A. Santoro, L. Gristina	283-288
Organizational traits for the grapevine moth control in Tuscany (Italy) A. Lucchi, E. Pozzolini, L. Santini & B. Bagnoli	289-293
Mating disruption technique vs <i>Lobesia botrana</i> (Denis & Schiffermüller) (Tortricidae): 3 years of experience in vineyards of Abruzzo (Italy) A. Mazzocchetti, A. Zinni.....	295-300
Daily “chores” of the Nearctic leafhopper <i>Scaphoideus titanus</i> Ball (Hemiptera Cicadellidae) V. Mazzoni, M. Virant Doberlet, L. Santini and A. Lucchi	301-303
Olfactory stimuli involved in host plant detection of <i>Scaphoideus titanus</i> Ball nymphs V. Mazzoni, G. Anfora, F. Trona, A. Lucchi, C. Ioriatti	305-307
Comparison between downy mildew fungicides in a vineyard of the Avellino province (Campania South Italy) and their influence on the population of Phytoseiid mites (Parasitiformes, Phytoseiidae). M. Nicòtina, G. C. Capone	309-319
Population dynamics of grapevine moths reflect weather conditions over the past decade D. Pasquier, P.-J. Charmillot, P. Kehrlí	321-323
Effects of grape downy mildew on interactions between fungicides and predatory mites on grapevines A. Pozzebon, C. Duso and P. Tirello.....	325-329
Soil Pest Management with Herbicides? Peter Schwappach	331-336
Spatio-temporal distribution of <i>Lobesia botrana</i> (Denis & Schiffermüller) male population in a central Italy agro-ecosystem A. Sciarretta, A. Zinni, A. Mazzocchetti, P. Trematerra	337-342
Lutte biologique contre les cochenilles farineuses <i>Heliococcus bohemicus</i> Sulc et <i>Phenacoccus aceris</i> (Signoret) au moyen de lâchers de <i>Chrysoperla lucasina</i> G. Sentenac, T. Pham, A. Salaun, J. Souvignet	343-349
Volatiles from grape drive the oviposition of <i>Lobesia botrana</i> at short distance M. Tasin, G. Anfora, A.-C. Bäckman, C. Ioriatti, A. De Cristofaro, E. Pozzolini, E. Leonardelli and A. Lucchi	351-353
Grapevine Pests in Sicily H. Tsolakis, E. Ragusa.....	355-361
Incidence of grapevine moth <i>Lobesia botrana</i> (Den. & Schiff.) on occurrence of ochratoxin A in grapes H. Tsolakis, O. Corona, A. S. Pulizzi, F. Grippi, V. Mondello	363-368

Landscape characteristics influencing pest populations in viticulture	
<i>M. Van Helden, G. Pain, J. Pithon</i>	369-373
Occurrence and spread of <i>Scaphoideus titanus</i> in Austria	
<i>N. Zeisner</i>	375-377