

**IOBC/WPRS**

**Working Group “Integrated Protection of Stored Products”**



**Proceedings of the Meeting**

**at**

**Poznan, Poland**

**20-23 August, 2007**

**Editors**

Shlomo Navarro, Cornel Adler and Dr. Lise Stengård Hansen

**IOBC/WPRS Bulletin**  
**Bulletin OILB/SROP Vol. 40, 2008**

The content of the contributions is in the responsibility of the authors

The IOBC/WPRS Bulletin is published by the International Organization for Biological and Integrated Control of Noxious Animals and Plants, West Palearctic Regional Section (IOBC/WPRS)

Le Bulletin OILB/SROP est publié par l'Organisation Internationale de Lutte Biologique et Intégrée contre les Animaux et les Plantes Nuisibles, section Regionale Ouest Paléarctique (OILB/SROP)

Copyright: IOBC/WPRS 2008

The Publication Commission of the IOBC/WPRS:

Horst Bathon  
Julius Kuehn Institute (JKI), Federal  
Research Centre for Cultivated Plants  
Institute for Biological Control  
Heinrichstr. 243  
D-64287 Darmstadt (Germany)  
Tel +49 6151 407-225, Fax +49 6151 407-290  
e-mail: horst.bathon@jki.bund.de

Luc Tirry  
University of Gent  
Laboratory of Agrozoology  
Department of Crop Protection  
Coupure Links 653  
B-9000 Gent (Belgium)  
Tel +32-9-2646152, Fax +32-9-2646239  
e-mail: luc.tirry@ugent.be

Address General Secretariat:

Dr. Philippe C. Nicot  
INRA – Unité de Pathologie Végétale  
Domaine St Maurice - B.P. 94  
F-84143 Montfavet Cedex (France)

ISBN 978-92-9067-214-2

<http://www.iobc-wprs.org>

## Contents

Group photo.....	i
Introduction .....	iii
Introduction by the New Convenor .....	iv
List of participants and authors .....	v

### Session 1: Overviews and trends on stored product protection

Implementation of methyl bromide alternatives in Poland <i>Ignatowicz S., Olejarski P.</i> .....	3-7
Restrictions to the use of fumigants and opportunities for substitution with botanicals and modified atmospheres <i>Navarro S., Donahaye, E.</i> .....	9-22
<i>Anobium punctatum</i> (Coleoptera: Anobiidae), a new pest of books in Israel <i>Wilamowski A., Schnur H., Kessler I., Navarro S.</i> .....	23-28
Potential of parasitic protozoans in biological control of stored products pests <i>Lipa J.J.</i> .....	29

### Session 2: Biology and ecology of stored product pests

Description and putative function of the antennal sensilla of <i>Habrobracon hebetor</i> (Say) (Hymenoptera: Braconidae) <i>Dweck H.K., Gadallah N.S.</i> .....	33
<i>Plodia interpunctella</i> (Hübner) mating suppression with an emulsive pheromone preparation - laboratory experiments <i>Komorowska-Kulik, J., Celmer-Warda K., Bombinska D., Al Amin I.</i> .....	35-39
Attraction of <i>Sitophilus zeamais</i> Motschulsky to different types of cereal pasta <i>Trematerra P., Visini G., Romagnoli L., Palladino A., Mancini E.</i> .....	41-48
Bacterial flora of <i>Lasioderma serricorne</i> (F.) (Coleoptera: Anobiidae) from several tobacco stores in Turkey <i>Yaman M., Aslan I., Görmez A., Ertürk Ö.</i> .....	49-52
Studies on the feeding, reproduction and development of <i>Cheletomorpha lepidoptero-</i> <i>pteroorum</i> (Schaw) (Prostigmata: Cheyletidae) on various food sources <i>Yassin E.M.A., Sallam G.M.E. Ibrahim S.A.</i> .....	53-62
Suitability of species as food for mould mite ( <i>Tyrophagus putrescentiae</i> (Selm)) <i>Czajkowska B.</i> .....	63

### Session 3: Insect detection, monitoring, trapping, pheromones and mating disruption

Comparison of methods for sampling psocids in stored wheat <i>Throne J.E., Opit G.P., Flinn P.W.</i> .....	67-74
Evaluating treatment efficacy in commercial food facilities: Insights gained from small- scale simulated warehouse experiments <i>Campbell, J. F. Toews, M. D., Arthur F. H.</i> .....	75-83

The use of sex pheromone traps for cigarette beetle as a tool for IPM in a cigarette factory in Cape Verde islands <i>Carvalho M.O., Mexia A., Torres L. M.</i> .....	85-92
Monitoring of insect populations by using adhesive surfaces of different colours in a dried fig warehouse in Southern Greece <i>Karlis G., Athanassiou C.G., Buchelos C.Th.</i> .....	93-106
Monitoring mill moth ( <i>Ephestia kuehniella</i> Zell.) by pheromone traps in Belarus <i>Kozich I.</i> .....	107-111
Potential of near infrared spectroscopy (NIRS) technology to discriminate between infestations of stored product pests in rice <i>Pascual-Villalobos M.J., Font R., De Haro-Bailon A., Riudavets J.</i> .....	113-117
Monitoring of insect populations in a pasta factory and related facilities in Greece <i>Kaltsikes P. J., Athanassiou C. G., Goufa M., Repanis M., Bakodimos D., Gouveri M.</i> .....	119-125
New funnel pheromone trap for monitoring of moths in dusty places <i>Komorowska-Kulik J., Ignatowicz S., Sieminska E.</i> .....	127-130

#### Session 4: Biological control

Population dynamics of the natural enemies of stored product pests in cereal and dried fruit companies <i>Belda C., Pons M<sup>a</sup>. J., Gabarra R., Riudavets J.</i> .....	133-139
The biology of <i>Lariophagus distinguendus</i> a natural antagonist of stored grain beetles – film presentation <i>Collatz J., Wyss U., Steidle J.L.M.</i> .....	141
Biological control of <i>Anobium punctatum</i> in infested books, using the parasitoid <i>Lariophagus distinguendus</i> - preliminary results <i>Wilamowski, A., Kessler, I. Rabin, I., Prozell, S. Navarro, S.</i> .....	143-147
Virulence of isolates of the entomopathogenic fungus <i>Beauveria bassiana</i> (Bals.) Vuillemin to adults of <i>Acanthoscelides obtectus</i> Say (Coleoptera: Bruchidae) <i>Draganova S., Staneva E.</i> .....	149-154
Experiences with beneficial insects for pest control in storage buildings and processing units <i>Meierhofer B., Fassbind D., Brand S., Kraaz I., Zingg D., Wyss G.S.</i> .....	155-159
<i>Lariophagus distinguendus</i> Förster (Hym.: Pteromalidae): development on <i>Sitophilus granarius</i> L. (Col.: Curculionidae) at low temperatures <i>Stengård Hansen L.</i> .....	161-164
Development of a mass rearing device for the use of <i>Lariophagus distinguendus</i> (Förster) against <i>Sitophilus granarius</i> L. in grain <i>Niedermayer S., Steidle J.L.M.</i> .....	165-169
Studies on storage, release and host finding of <i>Trichogramma evanescens</i> to control <i>Ephestia kuehniella</i> <i>Tuncbilek A.S., Canpolat U., Sumer F.</i> .....	171-179
Factors affecting the attachment of conidia of <i>Metarhizium anisopliae</i> (Metschnikoff) Sorokin (Deuteromycotina: Hyphomycetes) to different body parts of <i>Tribolium confusum</i> Jacquelin du Val (Coleoptera: Tenebrionidae) adults <i>Kavallieratos N.G., Wakefield M.E., Athanassiou C.G.</i> .....	181-190
Efficacy of submultiples doses of <i>Bacillus thuringiensis</i> compounds against the Mediterranean flour moth <i>Ephestia kuehniella</i> (Zeller) (Lepidoptera: Pyralidae) <i>Kontodimas D., Nikoloudies K.J.</i> .....	191

<i>Enterococcus mundtii</i> , a pathogenic bacterium to <i>Ephestia kuehniella</i> Zeller Yaman M., Aslan I. ....	192
Effect of gamma radiation and cold storage on emergence and life time adults <i>Venturia canescens</i> Gravenhorst (Hymenoptera: Ichneumonidae) parasiting larvae of <i>Ephestia kuehniella</i> Zeller (Lepidoptera: Pyralidae) Celmer-Warda K., Ignatowicz S. ....	193-201

### Session 5: Phytochemicals

Repellent activity and persistence of the essential oils from <i>Carum copticum</i> and <i>Vitex pseudo-negundo</i> on <i>Tribolium castaneum</i> Sahaf B.Z., Moharramipour S., Meshkatsadat M.H., Filekesh E. ....	205-210
Insecticidal activity of volatile monoterpenoids to <i>Sitophilus oryzae</i> L. (Coleoptera: Curculionidae), <i>Rhyzopertha dominica</i> Fabricius (Coleoptera: Bostrichidae) and <i>Cryptolestes pusillus</i> Schönherr (Coleoptera: Cucujidae) Lopez M.D., Pascual-Villalobos M.J. ....	211-219
Toxicity and repellency of essential oils of <i>Lippia adoensis</i> from two agro-ecological zones in Cameroon to <i>Prostephanus truncatus</i> and two strains of <i>Sitophilus zeamais</i> Nukenine E.N., Adler C., Reichmuth C. ....	221-230
Effectiveness of novel compounds for the control of stored product mites Wakefield M.E., Ford H.L. ....	231-241
Comparative fumigant toxicity of <i>Rosmarinus officinalis</i> and <i>Artemisia sieberi</i> against <i>Tribolium castaneum</i> Ahmadi M., Moharramipour S., Zolfaghari H.R. ....	243-247
Fumigant toxicity of essential oil from <i>Tanacetum polycephalum</i> against <i>Tribolium castaneum</i> and <i>Callosobruchus maculatus</i> Arabi F., Moharramipour S., Sefidkon F. ....	249-252
The effect of <i>Mentha piperita</i> L. and <i>Geranium robertianum</i> L. on the course of population processes of the lesser grain borer <i>Rhyzopertha dominica</i> F. (Coleoptera, Bostrichidae) Klys M. ....	253-259
Effectiveness of bitterbarkomycin against <i>Prostephanus truncatus</i> (Horn) (Coleoptera: Bostrichidae), <i>Rhyzopertha dominica</i> (F.) (Coleoptera: Bostrichidae) and <i>Sitophilus oryzae</i> (L.) (Coleoptera: Curculionidae) in stored maize Milonas D., Athanassiou C.G., Maistrou S., Saitanis C.J. ....	261-266
Insecticidal activity of essential oil from <i>Vitex agnus-castus</i> against <i>Callosobruchus maculatus</i> Moharramipour S., Arabi F., Bagheri H. ....	267-270

### Session 6: Physical, chemical and other techniques for stored product protection

Susceptibility of life stages of <i>Tribolium confusum</i> du Val. to gaseous ozone Isikber A.A., Öztekin S. ....	273-279
Application of ozone as fumigant to prevent unwanted biological activity in stored grain Hansen P. ....	281
Combination of biological control and CO <sub>2</sub> treatments against <i>Plodia interpunctella</i> (Hübner) Pons, M <sup>a</sup> .J., Castañé C., Riudavets J. ....	283-287

Effectiveness of DEBBM-P, a new enhanced diatomaceous earth formulation for the control of <i>Tribolium castaneum</i> (Herbst.) (Coleoptera: Tenebrionidae) on stored wheat <i>Wakil W., Ashfaq M.</i> .....	289-294
Distribution and efficacy of aerosol insecticides in commercial facilities <i>Arthur F.H., Campbell J.F.</i> .....	295-301
Evaluation of the knockdown activity of some pyrethroids on different types of surfaces against larvae of <i>Plodia interpunctella</i> larvae (Hbn.) (Lepidoptera: Pyralidae) <i>Locatelli D.P., Girgenti P., Caldiroli A., Stampini M.</i> .....	303-311
Preliminary investigations about tolerance to phosphine in <i>Tribolium</i> strains (Coleoptera; Tenebrionidae) in Italy <i>Savoldelli S., Süß L.</i> .....	313-317
Evaluation of a new enhanced diatomaceous earth formulation (DEBBM-P) against <i>Rhyzopertha dominica</i> (F.) (Coleoptera: Bostrychidae) on stored wheat <i>Wakil W., Javed A.</i> .....	319-323
Efficacy of a new grain fumigant: ethyl formate/allyl isothiocyanate for the control of two stored grain beetles, the rice weevil, <i>Sitophilus oryzae</i> L. and the granary weevil, <i>Sitophilus granarius</i> L. <i>Ciesla Y., Rouzes R., Fritsch J., Ducom P.</i> .....	325-334
Ethyl formate efficacy in combination with low pressure or at atmospheric pressure in mixture with CO <sub>2</sub> against the dried fruit beetle, <i>Carpophilus hemipterus</i> (L.) on prunes <i>Rouzes R., Ciesla Y., Dupuis S., Ducom P.</i> .....	335-344

### **Session 7: Integrated pest prevention methods during storage, transportation and handling**

Contemporary enhancement of post-harvest IPM programs by selected physical methods <i>Fleurat-Lessard F., Dupuis S.A.</i> .....	347-362
Insect-proof packaging to avoid stored product insects <i>Adler C.</i> .....	363-369
Aeration, fumigation by Siroflo®/Eco <sub>2</sub> Fume® and storage in modern bunkers and hermetic platforms under PVC - A review of three ecologically friendly technologies used for grain storage and protection in Cyprus <i>Varnava A., Yiasoumis D.</i> .....	371-379