

IOBC / WPRS

**Working Group “Pheromones and other Semiochemicals
in Integrated Production”**



Proceedings of the meeting

at

Lund (Sweden)

9-14 September, 2007

Edited by:
Marco Tasin & Peter Witzgall

**IOBC wprs Bulletin
Bulletin OILB srop**

Vol. 41, 2009

The content of the contributions is in the responsibility of the authors

The IOBC/WPRS Bulletin is published by the International Organization for Biological and Integrated Control of Noxious Animals and Plants, West Palearctic Regional Section (IOBC/WPRS)

Le Bulletin OILB/SROP est publié par l'Organisation Internationale de Lutte Biologique et Intégrée contre les Animaux et les Plantes Nuisibles, section Regionale Ouest Paléarctique (OILB/SROP)

Copyright: IOBC/WPRS 2009

The Publication Commission of the IOBC/WPRS:

Horst Bathon
Julius Kühn-Institute (JKI)
Federal Research Center for Cultivated Plants
Institute for Biological Control
Heinrichstr. 243
D-64287 Darmstadt (Germany)
Tel +49 6151 407-225, Fax +49 6151 407-290
e-mail: horst.bathon@jki.bund.de

Luc Tirry
University of Gent
Laboratory of Agrozoology
Department of Crop Protection
Coupure Links 653
B-9000 Gent (Belgium)
Tel +32-9-2646152, Fax +32-9-2646239
e-mail: luc.tirry@ugent.be

Address General Secretariat:

Dr. Philippe C. Nicot
INRA – Unité de Pathologie Végétale
Domaine St Maurice - B.P. 94
F-84143 Montfavet Cedex (France)

ISBN 978-92-9067-215-9

www.iobc-wprs.org

Contents

Preface	i
Contents	iii
Participants	vii

Sex-pheromones

Mate location and sexual maturity of adult male mealybugs: narrow window of opportunity in a short lifetime <i>Elsa Borges da Silva, Joana Mouco, Rita Antunes, Zvi Mendel, José Carlos Franco</i>	3-9
Codling moth, <i>Cydia pomonella</i> (L.), canopy distribution and implications for mating disruption applications <i>David Epstein, Larry Gut, James Miller, Lucasz Stelinski</i>	11-15
CIRCE – an addition to the toolbox for assessment / improvement of mating disruption <i>Uwe T. Koch, Eric Doye, Klaus Schumann, Ulf Andrick</i>	17-24
Mating disruption of the oriental fruit moth by concentrated applications of micro-encapsulated pheromone in Turkey <i>Orkun Baris Kovanci, Nimet Sema Gencer, Tom Larsen, Alan Knight</i>	25
Mating disruption of codling moth, <i>Cydia pomonella</i> (L.), using Isomate C plus dispensers in apple orchards of Bulgaria <i>Hristina Kutinkova, Jörg Samietz, Vasiliy Dzhuvinov, Pierre-Joseph Charmillot, Vittorio Veronelli</i>	27-32
Sustainable codling moth mating disruption in diverse agricultural environments <i>Peter McGhee, David Epstein, Donald Thomson, Larry Gut</i>	33-39
The use of pheromone mating disruption technique for the control of <i>Ostrinia nubilalis</i> : preliminary research and field applications. <i>Fabio Molinari, Andrea Iodice, Piergiorgio Cappellaro, Carlo Bassanetti, Paolo Sambado, Manuela Cigolini, Matteo Anaclerio, Francesco Savino</i>	41-44
Use of mating disruption for <i>Zeuzera pyrina</i> control <i>Maria Isabel Patanita, Enrique Vargas</i>	45-51
Commercial use of codling moth mating disruption: a success story despite the limitations <i>Don Thomson, Jay Brunner, Jack Jenkins, Larry Gut</i>	53-60
Opportunities and limitations of mass trapping of difficult-to-control fruit pests: efforts in Hungary <i>Erzsebet Voigt, Miklos Tóth</i>	61-66

Host volatiles

Odour signals for detection and control of indoor pyralid moths <i>Olle Anderbrant, Camilla Ryne, Edyta Sieminska, Glenn P. Svensson, P.-O. Christian Olsson, Erling Jirle, Christer Löfstedt</i>	69-74
--	-------

Development of semiochemical attractants, lures and traps for raspberry beetle, <i>Byturus tomentosus</i> at SCRI; from fundamental chemical ecology to testing IPM tools with growers <i>A. Nicholas E. Birch, Stuart Gordon, Carolyn Mitchell, Tom Shepherd, Wynne Griffiths, Graham Robertson, Rex Brennan</i>	75-78
Kairomonal response of a parasitic wasp to the sex pheromone of the vineyard mealybug <i>Elsa Borges da Silva, Taiadjana Fortuna, José Carlos Franco, Leonor Campos, Manuela Branco, Anat Zada, Zvi Mendel</i>	79-82
A bioassay-based approach for the evaluation of host-plant cues as oviposition stimuli in grapevine moth <i>Marco Tasin, Gianfranco Anfora, Elisabetta Leonardelli, Claudio Ioriatti, Andrea Lucchi, Antonio De Cristofaro, Ilaria Pertot</i>	83-86
Oviposition response of grapevine moth to microorganisms isolated from grape <i>Marco Tasin, Carmela Sicher, Ilaria Pertot</i>	87-89
Chemical communication of European cabbage flea beetles (Coleoptera: Chrysomelidae, Halticinae): overview of research in Hungary <i>Miklós Tóth, Éva Csonka</i>	91-99

Others

The leaf beetle <i>Diabrotica virgifera virgifera</i> LeConte: a merciless entomological challenge for agriculture <i>Hans E. Hummel, Arno Deuker, Günter Leithold</i>	103-110
External complex of leaf-eating Lepidoptera on apple in two regions of Bulgaria <i>Penka Peeva, Nyonka Velcheva</i>	111-121
Spatio-temporal distribution of <i>Ceratitis capitata</i> trap catches in an agricultural landscape <i>Andrea Sciarretta, Daniela Cesare, Roberto De Salvador, Maria Rosaria Tabilio, Pasquale Trematerra</i>	123-129

Abstracts

Stereoisomeric separation of the sex pheromone component 6,10,14-trimethyl-2-pentadecanol <i>Joakim Bång</i>	133
Role of semiochemicals in crop protection in South Asia <i>Alan Cork</i>	134-135
Plant parasitic nematodes detect environmental signals present in the rhizosphere using their chemosensory organs <i>R.H.C. Curtis</i>	136
Multitrophic interactions between insects, phytopathogens and plants: <i>Phytoplasma</i> manipulates vector behaviour by means of plant odour <i>J. Gross, C.J. Mayer, A. Vilcinskis</i>	137
High-performance mating disruption can be achieved using formulations that provide many attractive point sources <i>Larry Gut, James Miller, Lukasz Stelinski, Peter McGhee, David Epstein</i>	138

Odour coding in antennal sensilla of the southern house mosquito, <i>Culex quinquefasciatus</i> <i>Sharon R. Hill, Rickard Ignell, Bill S. Hansson</i>	139
Monitoring the minute: pheromone-based monitoring of gall midges <i>Ylva Hillbur</i>	140
Volatile compounds of the main hosts of the European Cherry Fruit Fly, <i>Rhagoletis cerasi</i> <i>Kirsten Köppler, Frank Sporer, Michael Wink, Heidrun Vogt</i>	141
Concerted evolution of female and male pheromones in corn borers <i>Ostrinia</i> spp. (Lepidoptera: Crambidae) <i>Christer Löfstedt, Jean-Marc Lassance</i>	142
Preformed and induced chemical resistance of tea leaf against <i>Exobasidium vexans</i> infection <i>Nimal Punyasiri</i>	143-144
Host-plant selection by <i>Spodoptera littoralis</i> , a laboratory and field study <i>M.M. Sadek, B.S. Hansson, P. Anderson</i>	145-146
Does the parasitoid <i>Anagyrus pseudococci</i> respond to the sex pheromone of major host-mealybug species? <i>E.B. Silva, T. Fortuna, J.C. Franco, L. Campos, M. Branco, A. Zada, Z. Mendel</i>	147
Multitrophic interactions between insects, fungi and plants: Using naturally produced chemicals to solve an invasive species problem <i>P.E.A. Teal, B. Torto, T. Arbogast, J.H. Tumlinson, H.T. Alborn, D.G. Boucias</i>	148
Mating disruption to control pea moth in on-farm experiments <i>H. Saucke, A. Balasus, A. Kratt, U. Koch</i>	149