

IOBC / WPRS

Working group “Integrated Control of Plant Pathogens”

Joint with COST Action 873, Working Group 4



Proceedings of the meeting
"Molecular Tools for Understanding and Improving
Biocontrol"
at
Interlaken (Switzerland)
September 9-12, 2008

Edited by:
Yigal Elad, Monika Maurhofer, Christoph Keel,
Cesare Gessler, Brion Duffy

IOBC wprs Bulletin
Bulletin OILB srop

Vol. 43, 2009

The content of the contributions is in the responsibility of the authors

The IOBC/WPRS Bulletin is published by the International Organization for Biological and Integrated Control of Noxious Animals and Plants, West Palearctic Regional Section (IOBC/WPRS)

Le Bulletin OILB/SROP est publié par l'Organisation Internationale de Lutte Biologique et Intégrée contre les Animaux et les Plantes Nuisibles, section Regionale Ouest Paléarctique (OILB/SROP)

Copyright: IOBC/WPRS 2009

The Publication Commission of the IOBC/WPRS:

Horst Bathon
Julius Kühn-Institute (JKI)
Federal Research Center for Cultivated Plants
Institute for Biological Control
Heinrichstr. 243
D-64287 Darmstadt (Germany)
Tel +49 6151 407-225, Fax +49 6151 407-290
e-mail: horst.bathon@jki.bund.de

Luc Tirry
University of Gent
Laboratory of Agrozoology
Department of Crop Protection
Coupure Links 653
B-9000 Gent (Belgium)
Tel +32-9-2646152, Fax +32-9-2646239
e-mail: luc.tirry@ugent.be

Address General Secretariat:

Dr. Philippe C. Nicot
INRA – Unité de Pathologie Végétale
Domaine St Maurice - B.P. 94
F-84143 Montfavet Cedex (France)

ISBN 978-92-9067-217-3

www.iobc-wprs.org

Contents

Preface.....	i
Group and meeting organization.....	iii
Contents.....	v
List of participants.....	xiii
Group picture.....	xvi

Antagonists screening

Using community and species diversity data to discover novel biocontrol bacteria <i>Brian B. McSpadden Gardener</i>	3-6
Can mycoviruses be used for the biocontrol of the plant pathogenic fungus <i>Botrytis cinerea</i> <i>Michael Pearson, Ross Beever, Barbara Boine, Colin Tan</i>	7-10
Endophytes as biological control agents for plant pathogens <i>David Ezra, Tamir Lousky, Yigal Elad</i>	11-14
Screening of microorganisms with potential activity against <i>Plasmopora viticola</i> <i>Silvia Dagostin, Davide Gobbin, Tiziano Formolo, Ilaria Pertot</i>	15-18
Characterisation of microorganisms isolated from summer-wheat and testing for their potential inhibitory effects on <i>Fusarium graminearum</i> , causal agent of Fusarium Head Blight (FHB) in laboratory screening-tests <i>Birgit Antlinger, Sabine Frühauf, Marc Lemmens, Rudolf Braun, Markus Neureiter</i>	19-22
Nicotinic acid degradation: a novel method for selection of a biocontrol agent against <i>Erwinia amylovora</i> <i>Thomas Paternoster, Brion Duffy, Geneviève Défago</i>	23-25
Biological control of walnut blight: screening of antagonistic bacteria for <i>Xanthomonas arboricola</i> pv. <i>juglandis</i> and evaluation of their efficacy <i>Hatice Ozaktan, Mine Erdal, Ahmet Akkopru, Adem Bozkurt, Emek Aslan</i>	26-29
Lysobacter spp. as potential inhibitor of <i>Rhizoctonia solani</i> in soil (Abstract) <i>Barbara Drigo, Mirjam Schilder, Joeke Postma</i>	30
Screening of actinomycetes from medicinal plant rhizosphere soils for antifungal compounds, indole-3-acetic acid and siderophores production (Abstract) <i>Sutthinan Khamna, Akira Yokota, Saisamorn Lumyong</i>	31
Selection of <i>Pseudomonas</i> strains that are antagonistic to <i>Verticillium fungicola</i> , the causal agent of dry bubble disease in <i>Agaricus bisporus</i> (Abstract) <i>Roeland L. Berendsen, Peter A.H.M. Bakker</i>	32

Molecular/biochemical characterisation and monitoring

Genotypic comparison of <i>Pantoea agglomerans</i> biocontrol and clinical isolates to address taxonomic and bio-safety questions <i>Fabio Rezzonico, Theo H.M. Smits, Cosima Pelludat, Emilio Montesinos, Jürg E. Frey, Brion Duffy</i>	35-39
---	-------

Molecular characterization of <i>Ampelomyces</i> spp. isolates from different hosts and geographic origins and evaluation of their potential to control powdery mildew of cucumber <i>Dario Angeli, Elisabetta Pellegrini, Monika Maurhofer, Ilaria Pertot, Susanna Micheli, Denise Röss, Cesare Gessler</i>	40-44
Antifungal peptides of the biocontrol fungus <i>Trichoderma atroviride</i> – detection and structure characterisation by LC/MS/MS <i>Rainer Schuhmacher, Norbert Stoppacher, Barbara Reithner, Markus Omann, Susanne Zeilinger, Rudolf Krska</i>	45-48
Molecular tools for studying the interaction between <i>Botrytis</i> and the viruses BVX and BVF (NZ) <i>Barbara Boine, Mike N. Pearson, Ross Beever, Andy Bailey, Gary Foster</i>	49-52
Quantitative strain specific molecular methods for monitoring and ecological fitness studies of biological control agents <i>Emilio Montesinos, Marta Pujol, Esther Badosa</i>	53-57
Molecular and functional characterization of induced systemic resistance in grape <i>Michele Perazzolli, Elisa Bozza, Claudio Moser, Yigal Elad, Ilaria Pertot</i>	58-61
Molecular and biochemical characterization of Iranian surfactin producing <i>Bacillus subtilis</i> isolates <i>Salehi Jouzani Gholamreza, Matin Mohamadipour, Maryam Mousivand, Saeed Abbasalizadeh, Mohammad Salari, Naser Panjeh keh</i>	62-66
Molecular characterization of IAA-responsive mutants of plant-beneficial <i>Pseudomonas fluorescens</i> CHA0 (Abstract) <i>Laurene Rochat, Maria Péchy-Tarr, P. de Werra, Monica Maurhofer, Christoph Keel</i>	67
Enhancement of efficacy	
Development of a genetically-modified mixture of biological control agents for improved disease control <i>Virginia O. Stockwell, L. Meadow Anderson, Joyce E. Loper, Kenneth B. Johnson</i>	71-74
Introduction of the endochitinase ChiA gene from <i>Serratia plymuthica</i> enhances biocontrol activity of 2,4-DAPG-producing strains of <i>Pseudomonas fluorescens</i> <i>Inbal Gazit-Fatal, Marianna Ovadis, Rena Gorovits, Ada Viterbo, Ilan Chet, Linda Thomashow, Leonid Chernin</i>	75-78
Molecular approaches to improve biocontrol of soil-borne fungal pathogens <i>Gabriele Berg, Henry Müller, Christin Zachow, Rita Grosch, Leo Eberl, Wolfgang Vogt, Ralf Tilcher</i>	79-82
The <i>Trichoderma</i> –plant–pathogen interaction: understanding the mechanism and improving biocontrol <i>Sheridan L. Woo, Michelina Ruocco, Francesco Vinale, David Turrà, Roberta Marra, S. Lanzuise, Khaled Abadi, Matteo Lorito</i>	83-88
Microbial mixtures enhancing plant resistance to pathogen stress <i>Magdalena Szczech, Beata Kowalska, Barbara Dyki, Marcin Horbowicz, Waldemar Kowalczyk</i>	89-94
Biocontrol of <i>Rhizoctonia solani</i> with improved <i>Trichoderma harzianum</i> strains in tomatoes cropped under glasshouse and commercial conditions <i>Jaime Montealegre, Soledad Sánchez, Fabián Ochoa Rodrigo Herrera, Ximena Besoain, Luz M. Pérez</i>	95-98

Biocontrol mechanisms

Involvement of swollenin, an expansin-like protein from <i>Trichoderma</i> , in mycoparasitism <i>Ada Viterbo, Yariv Brotman, Eden Briff, Ilan Chet</i>	101-104
A cAMP receptor-like GPCR is involved in <i>Trichoderma atroviride</i> mycoparasitism <i>Markus Omann, Sylvia Lehner, Kurt Brunner, Marizela Delic, Norbert Stoppacher, Rainer Schuhmacher, Marion Pucher, Susanne Zeilinger</i>	105-108
Analysis of determinants of <i>Pseudomonas fluorescens</i> WCS374r involved in induced systemic resistance in <i>Arabidopsis thaliana</i> <i>Mohammad Djavaheri, Jesús Mercado-Blanco, L.C. Van Loon, Peter A.H.M. Bakker</i>	109-112
Mechanisms involved in biocontrol activity of <i>B. Subtilis</i> B49b against <i>Fusarium oxysporum</i> f.sp. <i>radicis-lycopersici</i> <i>Florica Constantinescu, Gerben Voshol, Guido Bloemberg</i>	113-116
Lipopeptides are key factors in the biocontrol activity of <i>Bacillus subtilis</i> towards powdery mildew and bacterial diseases of cucurbits (ES) <i>Houda Zeriouh, Diego Romero, Laura García-Gutiérrez, Antonio de Vicente, Alejandro Pérez García</i>	117-120
Bacillus lipopeptides as MAMPs for non-pathogenic bacteria perception and defense responses elicitation in plant cells <i>Guillaume Henry, Marc Ongena, Emmanuel Jourdan, Philippe Thonart</i>	121-124
Functional analysis of the grapevine defence reaction against <i>Armillaria mellea</i> infection and the identification of a Phase Change Antifungal Protein <i>Michele Perazzolli, Federica Bampi, Andrea Nesler, Silvia Faccin, Anna Maria Ciccotti, Ilaria Pertot, Cesare Gessler, Claudio Moser</i>	125-128
Role of phenylalanine ammonia-lyase activity in the induced resistance by plant growth promoting rhizobacteria against bean common blight disease (<i>Xanthomonas axonopodis</i> pv. <i>phaseoli</i>) <i>Adem Bozkurt, Hatice Özaktan</i>	129-132
Detection of siderophores and indole-3-acetic acid (IAA) production from endophytic fungi, isolated from Thai terrestrial orchid, <i>Pecteilis susannae</i> (L.) Rafin <i>Ruangwut Chutima, Suyanee Vessabutr, Bernard Dell, Pipob Lumyong, Saisamorn Lumyong</i>	133-136
Biological activity of <i>Pseudomonas syringae</i> toxins against <i>Botrytis cinerea</i> on strawberry fruits <i>Elisabetta Pellegrini, Carmela Siche, Alberto Fior, Vincenzo Foglian, Ilaria Pertot</i>	137-140
Biochemical characterization of bacterial antagonists and immunohistochemical changes after resistance induction in tomato against bacterial wilt caused by <i>Ralstonia solanacearum</i> <i>Henok Kurabachew, Kerstin Wydra</i>	141-144
Determination of volatile metabolites of the biocontrol fungus <i>Trichoderma atroviride</i> by GC/MS <i>Bernhard Kluger, Sylvia Lehner, Norbert Stoppacher, Susanne Zeilinger, Rudolf Krska, Rainer Schuhmacher</i>	145-148
The nutrient status of the pathogen can have an impact on the importance of different biocontrol mechanisms in <i>Pseudomonas fluorescens</i> CHA0 <i>Matthias P. Lutz, Geneviève Défago, Monica Maurhofer</i>	149-154

Expression profiling of <i>Ampelomyces quisqualis</i> during mycoparasitism of <i>Podosphaera xanthii</i> <i>Alessandro Ferrari, Alberto Ferrarini, Antonio Chimento, Massimo Delledonne, Monica Maurhofer, Ilaria Pertot</i>	155-158
Combining 2,-4-diacetylphloroglucinol and pyrrolnitrin activities in <i>Pseudomonas fluorescens</i> Q8r1-96 increases its ability to suppress <i>Rhizoctonia solani</i> <i>Irit Moseri, Mohammed Bimerew, Marianna Ovadis, Linda Thomashow, Leonid Chernin</i>	159-162
Role of gluconic acid production in phosphate solubilisation, biocontrol ability and rhizosphere competence of <i>Pseudomonas fluorescens</i> CHA0 (Abstract) <i>Patrice de Werra, Maria Péchy-Tarr, L. Rochat, Christoph Keel, Monica Maurhofer</i>	163
Natural cyclic lipopeptide surfactants: modes of action and effects on plant growth (Abstract) <i>Judith E. van de Mortel, Sotirios Vasileiadis, Jos M. Raaijmakers</i>	164
Regulation of cyclic lipopeptide biosynthesis in <i>Pseudomonas fluorescens</i> (Abstract) <i>Irene de Bruijn, Jos M. Raaijmakers</i>	165
Insecticidal activity in root-associated Pseudomonads (Abstract) <i>Maria Péchy-Tarr, Joyce E. Loper, Monica Maurhofer, Christoph Keel</i>	166
Do chitosan oligomers protect plants against <i>Botrytis cinerea</i> infections? (Abstract) <i>Md. Hafizur Rahman, Linda Hjeljord, Morten Sørli, Arne Tronsmo</i>	167
Understanding the plant-endophytic bacteria interaction in the model: <i>Burkholderia phytofirmans</i> strain PsJN and <i>Vitis vinifera</i> L. (Abstract) <i>Stéphane Compant, Helene Lacroix, Christophe Clément, E.A. Barka</i>	168
Age dependent changes of enzymatic response in cotton plants at interaction with pathogen <i>Verticillium dahlia</i> (Abstract) <i>Gulyamova Tashkhan, M. Ruzieva Dilorom, S.M. Nasmotova, A.M. Kerbalaeva, J.J. Tashpulatov, S.M. Khodjibaeva</i>	169
Molecular and biochemical analysis of soil suppressiveness to <i>Rhizoctonia</i> root rot (Abstract) <i>Marco Kruijt, Nurmi P.D. Pangesti, Nabin Sharma, Hans Schneider, Jos M. Raaijmakers</i>	170
Regulation of the Fit locus encoding a novel insect toxin in the root-associated <i>Pseudomonas fluorescens</i> biocontrol agent CHA0 (Abstract) <i>Maria Péchy-Tarr, Monica Maurhofer, Christoph Keel</i>	171
<i>Bacillus amyloliquefaciens</i> strain antagonistic to <i>Erwinia amylovora</i> and elicitor of tomato defense response (Abstract) <i>Florin Oancea, Petruta Cornea, Gabriela Popa, Oana Siciua, Maria Draganoiu, Sorina Dinu</i>	172
Characterization of a novel toxin produced by the potential biocontrol organism <i>Pseudomonas syringae</i> pv. <i>syringae</i> 22d/93 (Abstract) <i>Sascha D. Braun, Beate Völksch, Jörg Nüske, Dieter Spiteller</i>	173
New bioactive compounds for the development of natural plant protection products (Abstract) <i>Alexandra Parich, Rainer Schuhmacher, Michael Sulyok, Markus Neureither, Sabine Fruehauf, Andrea Koutnik, Birgit Antlinger, Marc Lemmens</i>	174

- Location of the dar operon in the biocontrol rhizobacteria *Pseudomonas fluorescens* PCL1606 and its role in production of the antibiotic 2-hexyl, 5-propyl resorcinol (Abstract)
Rosa Martín-Pérez, Nuria Bonilla, Juan C. Codina, Antonio de Vicente, Francisco M. Cazorla 175

General biological control

- Critical factors in the large-scale application of a microbial biocontrol agent in horticultural growing media (NL)
Marlies Dissevelt and Willem Ravensberg..... 179-183
- Trichoderma atroviride* SC1 for biocontrol of fungal diseases in plants
Ilaria Pertot, Claudia Maria Oliveira Longa, Federica Savazzini, Lorenza Michelon, Daniele Prodorutti, Chiara Pellegrini, Alessandro Ferrari..... 185-188
- Biocontrol management in soilless culture: impact of the antagonist *Pythium oligandrum* on native fungal populations
Jessica Vallance, Gaétan Le Floch, Franck Déniel, Patrice Rey..... 189-192
- Effects of in vitro antagonists of *Rhizoctonia solani* AG 1-IB on lettuce bottom rot disease and on microbial rhizosphere communities
Rita Grosch, Modupe Adesina, Kornelia Smalla 193-196
- The non pathogenic *Fusarium* isolate Fo47 protects pepper plants against *Verticillium dahliae*
Javier Veloso, José Díaz 197-200
- A new biocontrol agent against *B. cinerea* and other plant pathogens
Rudi Aerts, Liesbeth Vogels, Kathleen Heyens, Miguel F.C. De Bolle, Bruno P.A. Cammue..... 201-205
- Biocontrol of Armillaria root rot on highbush blueberry in Italy
Daniele Prodorutti, Alberto Pellegrini, Ilaria Pertot 207-210
- Fungal isolates of the order Sebacinales provide growth promotion and systemic disease resistance to barley
Monica Sharma, Karl-Heinz Kogel..... 211-215
- Antifungal activity of *Salvia officinalis* extract against *Plasmopara viticola*
Silvia Dagostin, Tiziano Formolo, Oscar Giovannini, Annegret Schmitt, Ilaria Pertot..... 217-220
- Control of *Ralstonia solanacearum* in *Curcuma alismatifolia* Gagnep. by antagonistic bacteria
Saran Promsai, Narumol Thongwai..... 221-224
- In vitro and in planta suppression of oncogenic strains of *Agrobacterium vitis* and *Agrobacterium tumefaciens* by bacterial biocontrol agents
Natalia Dandurishvili, Ernő Szegedi, Pikria Eliashvili, Naili Giorgobiani, Inessa Khmel, Alexander Vainstein, Leonid Chernin 225-229
- Biological control of avocado root rots by suppressive organic amendments
Nuria Bonilla, Juan Antonio Torés, José María Hermoso, Jorge González, Francisco Manuel Cazorla, Antonio de Vicente 231-234
- Trichoderma* in Brazil: history, research, commercialization and perspectives
Wagner Bettiol, Marcelo A.B. Morandi 235-237
- Control of *Fusarium* in chrysanthemum with sewage sludge, biofertilizer, hydrolyzed fish, chitosan, and *Trichoderma*
Wagner Bettiol, Zayame Vegette Pinto 239-242

Biological control of <i>Sclerotinia sclerotiorum</i> on beans in field by <i>Trichoderma asperellum</i> and <i>Clonostachys rosea</i> <i>Marcelo A.B. Morandi, Lucio B. Costa</i>	243-246
Natural biological control of chestnut blight in Croatia <i>Ljiljana Krstin, Sanja Novak Agbaba, Daniel Rigling, Mirna Ćurković Perica</i> ..	247-250
Antagonistic potential of <i>Trichoderma</i> isolates against soil and seed borne pathogens in vitro <i>Asha Shivpuri, S.N. Mali</i>	251-254
Inhibition of cotton pathogens by natural antagonists <i>Rustam Mannanov, Rano Sattarova</i>	255-258
Use of <i>Trichoderma atroviride</i> SC1 inoculated barks to control <i>Armillaria</i> root rot in highbush blueberry orchards <i>Alberto Pellegrini, Daniele Prodorutti, Chiara Pellegrini, Thomas Paternoster, Veronica Leoni, Ilaria Pertot</i>	259-262
Double role of <i>Metschnikowia fructicola</i> : biocontrol agent of <i>Botrytis cinerea</i> and repellant to <i>Lobesia botrana</i> <i>Marco Tasin, Carmela Sicher, Alketa Zeqiri, Vito Simeone, Ilaria Pertot</i>	263-266
Alternative biological treatments against <i>Rhizoctonia solani</i> in radish <i>Francois Lefort, T. Mormentyn, G. Calmin</i>	267-270
Microorganisms associated with <i>Chara hispida</i> L. show a high antagonistic potential towards bacteria <i>Gabriele Berg, Martin Hagemann</i>	271-275
Use of a bacterial antagonist for the biological control of bacterial leaf/fruit spot of stone fruits. <i>Enrico Biondi, Davide Dallai, Agostino Brunelli, Carlo Bazzi, Emilio Stefani</i> ...	277-281
Field studies on biological control of the walnut blight <i>Bernard J. Blum, Isabelle Chavignier, William Chauvin</i>	283-286
Bacteriophages for biocontrol of <i>Erwinia amylovora</i> (Abstract) <i>Lars Fieseler, Y. Born, Brion Duffy, M.J. Loessner</i>	287
Biological control of cucurbit powdery mildew by plant growth-promoting rhizobacteria (Abstract) <i>L. García-Gutiérrez, D. Romero, Houda Zerrouh, A. de Vicente, A. Pérez- García</i>	288
Characterization of the potential biocontrol organism <i>Pantoea agglomerans</i> 48b/90 (Abstract) <i>Ulrike Sammer, Beate Völksch, Dieter Spiteller</i>	289
Antagonist-plant-microbial/abiotic environment interactions	
Molecular mechanisms involved in controlling nematode infection in crops by introducing mutualistic endophytic fungi <i>Alexander Schouten, Andreas Kurtz, Andrea Ditzer, Richard A. Sikora</i>	293-296
Understanding multitrophic interactions to facilitate successful biocontrol of plant parasitic nematodes with <i>Paecilomyces lilacinus</i> strain 251 <i>Sebastian Kiewnick</i>	297-299
Defense pathways activated by <i>Bacillus mojaviensis</i> isolate 203-7 and <i>B. mycooides</i> isolate BmJ as elucidated by <i>Arabidopsis</i> mutants <i>Oliver T. Neher and Barry J. Jacobsen</i>	301-305
Beneficial <i>Pseudomonas</i> spp. have altered root colonization on <i>Arabidopsis thaliana</i> mutants affected in the expression of induced systemic resistance <i>Rogier F. Doornbos, L.C. Van Loon, Peter A.H.M. Bakker</i>	307-310

Absolute quantification of specific plant defense pathways and disease development of several microbial pathogens on <i>Arabidopsis</i> using real-time PCR <i>Benoît Boachon, Jérôme Robert, Xavier Daniel, Brigitte Mauch-Mani</i>	311-316
Influence of rhizosphere-specific parameters on surfactin production by <i>Bacillus subtilis</i> <i>Marc Ongena, Venant Nihorimbere, Patrick Fickers, Philippe Thonart</i>	317-320
Genotype-level interactions determine the degree of reduction of leaf rust on wheat by seed application of beneficial pseudomonads <i>Abbas Sharifi-Tehrani, Stefan Kellenberger, Mohsen Farzaneh, Maria Pechy-Tarr, Christoph Keel, Fabio Mascher</i>	321-325
cDNA-AFLP analysis of <i>Candida oleophila</i> (strain O) genes differentially expressed during the biocontrol of <i>Botrytis cinerea</i> on harvested apples <i>Mohammed Bajji, M. Haïssam Jijakli</i>	327-330
Are type III secretion systems found in fluorescent pseudomonads involved in plant colonization or biocontrol? <i>Fabio Rezzonico, Davide Gobbin</i>	331-335
Molecular tools to analyze the influence of environmental factors on the genetic diversity and the plant-beneficial activity of root-colonizing pseudomonads (Abstract) <i>Joana Meyer, P. de Werra, M. Frapolli, Maria Péchy-Tarr, L. Rochat, Christoph Keel, Monica Maurhofer</i>	336
Investigation of primed physiological status of grapevine plantlets (<i>Vitis vinifera</i> L.) induced by PGPR <i>Burkholderia phytofirmans</i> strain PsJN under low non-freezing temperatures (Abstract) <i>A. Theocharis, F. Baillieul, Helene Lacroix, J. Nowak, C. Clément, E. Ait Barka</i>	337
The role of phytohormones in basal resistance and <i>Trichoderma</i> -induced systemic resistance to <i>Botrytis cinerea</i> in <i>Arabidopsis thaliana</i> (Abstract) <i>Nadia Korolev, Dalia Rav David, Yigal Elad</i>	338
Molecular dialogues and defense mechanisms in bacteria-protozoa interactions (Abstract) <i>Mark Mazzola, Irene de Bruijn, Jos M. Raaijmakers</i>	339
Molecular ecology and impact assessment	
The fungal community associated with <i>Vitis vinifera</i> : development of molecular probes for observation of its evolution in symptomatic and asymptomatic wood <i>Valérie Hofstetter, Leonardo Casieri, Katia Gindro, Olivier Viret</i>	343-346
Comparison of effects of chemical and microbial biocontrol agents on non-target microbial soil organisms <i>Jacqueline W.A. Scheepmaker</i>	347-349
Grapevine-associated microorganisms: Antagonistic potential towards <i>Botrytis cinerea</i> varies between habitats, cultivation methods and grapevine species <i>Florian Schmid, Gabriele Berg</i>	351-354
Detection and differentiation of antagonistic <i>Erwinia</i> species by PCR and MALDI TOF analyses <i>Klaus Geider, Isabel Gehring, Annette Wensing, Anja Freiwald, Sascha Sauer</i> .	355-358
Detection and quantification of biocontrol agents <i>Inmaculada Larena, Paloma Melgarejo</i>	359-362
Impact of the biocontrol agent <i>Trichoderma atroviride</i> SC1 on microbial soil communities of a vineyard <i>Federica Savazzini, Claudia Maria Oliveira-Longa, Ilaria Pertot</i>	363-367

Does biocontrol need to consider side effects? Phylloplane chemical changes induced by a BC-yeast preparation and effect on <i>Cydia pomonella</i> (Abstract) <i>Cesare Gessler, Aude Alaphilippe, Sylvie Derridj, Yigal Elad</i>	368
Environmental monitoring of <i>Ceratocystis platani</i> , agent of the plane canker, by molecular diagnostic in the Lake Geneva region (Abstract) <i>Francois Lefort, P. Zryd D. Weyland, G. Calmin, L. Belbahri</i>	369
Use of DGGE analysis to study the impact of genetically modified wheat on the genetic diversity of root-colonizing Pseudomonads associated with soil fertility (Abstract) <i>Joana Meyer, Christoph Keel, Monica Maurhofer</i>	370
Detection and quantification of <i>Pseudomonas fluorescens</i> biocontrol strains by a strain specific real-time PCR approach in the field (Abstract) <i>Andreas von Felten, Genevieve Défago and Monica Maurhofer</i>	371
Genomics and transcriptomics in biocontrol	
Complete genome sequencing of <i>Pantoea agglomerans</i> strain C9-1 <i>Theo H.M. Smits, Fabio Rezzonico, C. Pelludat, Virginia O. Stockwell, A. Goesmann, J.E. Frey, Brion Duffy</i>	375-378
The genomic sequences of the fire blight antagonist <i>Erwinia tasmaniensis</i> and <i>Erwinia billingiae</i> compared with virulence regions of other <i>Erwinia</i> species <i>Michael Kube, Florian Knaust, Richard Reinhardt, Ina Müller, Klaus Geider ...</i>	379-382
Microarray analysis of the induced systemic resistance in <i>Arabidopsis thaliana</i> by <i>Trichoderma hamatum</i> T382 against <i>Botrytis cinerea</i> infection <i>Janick Mathys, Miguel F.C. De Bolle, Pieter Timmermans, Bart Lievens, Bruno P.A. Cammue</i>	383-386
Proteomic investigation of resistance to late blight (<i>Phytophthora infestans</i>) in potato genotypes treated with acibenzolar-S-methyl <i>Pier Luigi Burzi, Stefania Galletti, Claudio Cerato</i>	387-389